Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

DECK LOG-TITLE PAGE
NAVPERS 716 (Rev. 4-56)

DECK LOG BOOK

OF THE

U.S.S. ABNAKI

(ATF-96)
IDENTIFICATION NUMBER

COMMANDED BY

LT. C. C. REED, U. S. N.

Attached to
- SERVICE GROUP PEARL Division,
- Squadron,
- Flotilla,
- COMMANDER SERVICE FORCE, U. S. PACIFIC Fleet,
- FOURTEENTH Naval District,

Commencing -9I 1 SEPTEMBER, 19 63,
(zone time and date)

at IWAKUNI, JAPAN,
(location)

and ending +10W 30 SEPTEMBER, 19 63,
(zone time and date)

at PEARL HARBOR HAWAII
(location)

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP USS ABNAKI ATF 96 MONDAY (Day) 2 (Date) SEPT (Month), 19 63

08-12 underway as before 0744

180
114

20-24 underway as before

C.C. Mann BM1 USN

APPROVED: EXAMINED:

_____ U.S.N. COMMANDING _____ U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF 96 ZONE DESCRIPTION -9-I DATE SUNDAY (Day) 1 (Date) SEPT (Month), 19 1963

AT/PASSAGE FROM IWAKUNI JAPAN TO LOCAL OPS AREA

WEATHER OBSERVATIONS

ZONE TIME	WIND Direction (True)	WIND Speed (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES Direction (True)	WAVES Height (Feet)
01	000	2	6	SCT	2966	75	71	3	1400	CU			
02	005	3	6	SCT	2965	75	71	4	1400	CU			
03	010	3	6	SCT	2966	75	71	4	1400	CU			
04	015	4	6	SCT	2966	74	70	5	1400	CU			
05	020	5	6	SCT	2965	74	70	4	1400	CU			
06	010	4	6	SCT	2964	76	72	3	1400	CU			
07	000	5	7	SCT	2963	76	73	3	1000	CU	-	CALM	
08	030	5	7	SCT	2963	78	74	3	1400	AC	-	CALM	
09	035	5	7	SCT	2963	80	75	3	1750	AC	-	CALM	
10	040	5	7	SCT	2963	84	80	3	1400	AC	77	CALM	
11	055	5	7	H	2963	86	80	2	2100	CU	77	CALM	
12	060	5	7	H	2961	85	80	2	2100	CU	77	CALM	
13	120	11	7	H	2960	80	77	2	2400	CU	77	CALM	
14	120	20	7	H	2958	80	79	2	400	CU	77	155	2
15	120	20	7	H	2958	81	79	2	800	CU	77	155	2
16	150	12	8	H	2958	81	80	2	400	CU	78	155	2
17	150	13	8	H	2958	82	81	7	400	CU	79	155	2
18	150	12	8	BKN	2958	82	81	5	400	CU	80	150	2
19	150	12	6	L	2958	84	83	7	400	ST	80	155	1
20	150	3	6	H	2960	81	80	9	400	ST	80	150	1
21	150	3	6	H	2960	82	81	10	400	ST	80	150	1
22	200	7	8	SCT	2960	82	81	10	400	SC	80	180	1
23	190	7	10	SCT	2960	83	82	4	400	CU	80	185	3
24	190	7	10	SCT	2960	84	82	2	800	CU	80	185	3

POSITION	ZONE	TIME
0800		
L ______	BY	
λ ______	BY	
1200		
L 33-29.8N	BY 3	
λ ~~132.08~~ ~~14~~ 132-08.3E	BY 3	
2000		
L 32-23N	BY 3	
λ 132-43.1E	BY 3	

LEGEND: 1 - CELESTIAL, 2 - ELECTRONIC, 3 - VISUAL, 4 - D. R.

CURRENT DATA

FROM ______ (ZT) ______ (Date)
TO ______ (ZT) ______ (Date)
SET ______
DRIFT ______

POSITION BETWEEN FIXES

MID. L ______
MID. λ ______

MILES STEAMED 0000-2400: 265.1

FUEL CONSUMED 0000-2400: 1650

REMARKS

00-04- MOORED to ~~buoy~~ buoy FOXTROT, UNITED STATES MARINE CORPS AIR Facility, IWAKUNI, JAPAN. MATERIAL CONDITION YOKE (Modified) is SET. Ships PRESENT include various units of The U.S. PACIFIC Fleet And Yard CRAFT. SOPA is ~~COMA~~ COMFLTAIRWING SIX

RDMason
Ltjg USNR

04-08 moored as before 0616 mustered crew on station absentees none. 0630 made preparations for getting under way 0640 set the sectional sea detail on deck section one. CAPTAIN HAS The CONN. 0656 L 15° R A/B 1/3 L/30°/R ALL STOP A/A 1/3 ship is under way from mooring ~~buoy~~ buoy FOXTROT Iwakuni japan for local op area in accordance with COM NAV FLT AIRWAYS (6) sig opord 330-30 the captain and navigator ~~and OOD~~ are on the bridge 0659 C/S To 6.7 KTS 0700 C/S to 9.5 KTS C/S 12.3 KTS C/C 115° 0703 C/C 120 0704 C/C 115° 0707 C/C 112° C/C 110° 0710 C/C 120° 0718 C/C 110 C/C 115° 0720 R/15°/R L/15°/R C/C 115 0742 C/C 140

C. E. Mann BM1 USN

APPROVED: CC Reed Lt U.S.N. COMMANDING

EXAMINED: RD Mason, Ltjg U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SUNDAY (Day) 1 (Date) SEPTEMBER (Month) '63

04-08 (CONT) Underway as before. 0748 c/c 146° Made Daily Inspection of Magazines And Smokeless Powder Samples: Conditions Normal. 0756 c/c 095° 0759 Gyro Compass Tumbled Commenced Steering Magnetic Courses 106°

L.E. Horton LTJG USN

08-12 Underway As Before. 0810 c/c 125° Magnetic 0830 c/c 189° Magnetic 0837 c/c 193° Magnetic 0847 c/c 158° Magnetic 0900 180° Magnetic 0905 c/c 219° Magnetic 0940 c/c 224° Magnetic 0943 c/c 245° Magnetic ~~0945~~ 1005 c/c 234° Magnetic LEH

L.E. Horton LTJG USN.

12-16 UNDER WAY AS BEFORE 1227 c/c 210° PSTGC 1234 4/10 RUD c/c 180° PSTGC 1315 4/10° RUD c/c 156° PSTGC 1426 L/5° RUD c/c 151° PSTGC 1427 c/c 155° PSTGC 1428 c/c 159° PSTGC 1429 c/c 156° PSTGC 1430 cut GYRO REPEATERS BACK INTO MAIN GYRO 1506 PASSED MIZUNOKO SHIMA LIGHT ABEAM STARBOARD BEARING 237° T

[illegible] BMCA USN

16-18 Underway as before: 1650 commenced steering 150° T "master" gyro compass. 1654 Ens McKenzie has the conn. 1717 Mann BM1 has the conn.

J.O. Hollis CWO.2 USN

18-20 underway as before 1805 c/c 104°

C.E. Mann BM1 USN

20-24 Underway As Before

L.E. Horton LTJG USN

APPROVED: C.C. Reed Lt U.S.N. COMMANDING

EXAMINED: R.D. Mason, Ltjg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF96) ZONE DESCRIPTION -9I DATE MONDAY (Day) 2 (Date) SEPT. (Month), 19 65

AT/PASSAGE FROM IWAKUNI, JAPAN TO ASSIGNED OP-AREA

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	230	14	8	SCT	2960	84	83	2	400	CU	80	185	2
02	240	14	8	SCT	2960	83	82	2	400	CU	80	185	2
03	250	14	8	SCT	2960	83	82	2	400	CU	80	185	2
04	260	12	8	SCT	2960	83	82	2	400	CU	80	230	2
05	260	10	8	SCT	2961	84	82	2	800	CU	82	240	2
06	260	12	8	SCT	2962	84	83	2	400	CU	83	240	2
07	260	12	8	SCT	2962	84	83	2	400	CU	84	240	2
08	260	13	10	SCT	2964	85	83	3	800	CU	85	240	3
09	260	13	10	SCT	2963	85	83	5	800	CU	85	240	3
10	250	14	10	BKN	2963	85	83	6	800	AC/ST	85	240	3
11	230	15	10	BKN	2963	86	83	8	1000	ST	85	240	3
12	210	18	10	BKN	2963	85	84	8	400	ST	85	210	4
13	210	17	10	BKN	2961	85	83	9	800	AC/ST	85	210	4
14	210	17	10	BKN	2960	85	83	9	800	AC/ST	85	210	4
15	210	23	10	BKN	2957	85	82	9	1000	ST	85	230	6
16	230	20	10	BKN	2957	85	82	9	1000	ST	85	230	6
17	270	18	10	BKN	2958	87	85	9	800	ST	85	200	6
18	210	17	10	BKN	2958	84	83	9	400	ST	85	200	6
19	210	17	10	BKN	2958	84	83	7	400	ST	85	200	5
20	200	16	10	BKN	2960	84	83	7	400	ST	85	200	4
21	200	14	10	BKN	2961	84	83	7	400	ST	85	200	3
22	200	14	10	BKN	2962	84	83	6	400	ST	85	200	3
23	190	13	9	BKN	2962	84	83	6	400	ST	85	200	3
24	180	13	10	SCT	2962	84	83	4	400	AC	85	180	3

POSITION	ZONE	TIME
0800		
L 31-19N	BY	2+4
λ 133-54.5E	BY	2+4
1200		
L 31-25 N	BY	1+2
λ 133-31.5E	BY	1+2
2000		
L 31-42.5N	BY	2
λ 133-58E	BY	2

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 119.6

FUEL CONSUMED 0000-2400: 1880

REMARKS

08-04 STEAMING INDEPENDENTLY ENROUTE FROM IWAKUNI, JAPAN TO ASSIGNED OP-AREA RDV POINT 31°-22'N ; 133°-56'E. IN ACCORDANCE WITH COM FLT AIR WING SIX OP-ORD. 350-65 BASE COURSE 140°T BASE SPEED 10.1 KTS. MATERIAL CONDITION YOKE (MODIFIED) READINESS CONDITION V ENGINEERING CONDITION III DAMAGE CONTROL CONDITION III ARE SET

F. A. DeJonge BMC(A) USN

04-08 Underway as before. 0500 c/s 3.3 Kts. 0540 c/s 8.9 Kts. c/c 335°, 0550 c/s 11.3 Kts. 0605 c/s 13.3 Kts. 0615 commenced Steering Various Courses and speeds on Zig Zag Exercise with USS DIODON (SS). 0659 all stop, Completed Zig Zag exercise. 0722 c/s 3.8 Kts. 0744 on Course 090- C/s 6.7 Kts. 0756 C/s 3.3 Kts. 0747 Commenced Maneuvering on Various Courses & speeds, performing services for aircraft

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R S Rose, Lt(jg) U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) MONDAY (Day) 2 (Date) September (Month), 19 63

04-08(cont) and USS DIODON (SS). 0755 mustered the crew on stations. absentees: none.

Jal. Hollis, CWO 2, USN

08-12 ~~Steaming~~ Underway leg before: maneuvering on various courses and speeds while performing exercise services to aircraft and submarine. 0856 made daily inspection of Magazines and Smokeless powder samples. Conditions: Normal. 1039 lying to. Secure from Recovering torpedoes & Exercise Services. JdH

C.E. Man BM1 USN

12-16 ~~Steaming~~ Underway & before: 1333 Commenced maneuvering on various courses and speeds, performing torpedo recovery services for aircraft. 1354 Captain has the comm. 1429 OOD has the comm. 1505 Captain has the comm. 1509 OOD has the comm. 1530 Captain has the comm. 1548 OOD has the comm. JdH

Jal Hollis CWO 2, USN

16-18 ~~Steaming~~ Underway at before: maneuvering on various courses & speeds while performing services and recovering torpedoes for aircraft - 1605 Captain has the comm. 1630 OOD has the comm. 1720 Captain has the comm. JdH

Jal Hollis, CWO 2, USN

18-20 ~~Steaming~~ Underway as before: maneuvering on various courses & speeds while picking up torpedoes. Captain has the comm. 1814 Secured from Exercise services, OOD has the comm. 1818 on course 190°, speed 3.3 Kts. 1839 C/S 6.7 Kts. 1835 C/S 11.0 Kts. 1855 C/S 11.6 Kts. 1920 Ens. McKenzie has the comm. JdH

Jal Hollis, CWO 2, USN

20-24 ~~Steaming~~ Underway as before: JdH

CE Man BM1 USN

APPROVED: Reed Lt. U.S.N. COMMANDING

EXAMINED: R.D. Bacon, Lt(jg) U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION -9 I DATE Tuesday (Day) 3 (Date) September (Month), 19 63

AT/PASSAGE FROM Local op area TO IWAKUNI, JAPAN

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	165°	13	10	SCT	2962	84	82	3	800	AC	85°	170	3
02	165°	12	10	SCT	2961	83	81	3	800	AC	83	170	3
03	170	14	10	SCT	2963	83	81	2	800	AC	83	170	3
04	170	14	10	SCT	2962	82	81	2	400	AC	83	170	3
05	170	14	10	SCT	2965	83	80	2	1000	AC	83	170	3
06	180	13	10	SCT	2965	83	80	2	1000	AC	83	180	2
07	190	11	10	SCT	2965	84	81	2	1000	AC	83	190	2
08	200	13	10	SCT	2967	84	81	2	1000	AC	83	200	2
09	220	13	10	SCT	2969	85°	83	2	800	AC	83	220	2
10	230	12	10	SCT	2969	86	84	2	800	AC	83	210	2
11	240	12	10	SCT	2970	87	85°	2	800	AC	84	240	2
12	260	12	10	SCT	2970	87	85°	3	800	AC	85°	250	2
13	260	12	10	SCT	2970	87	85	3	800	AC	85°	250	2
14	270	12	10	SCT	2969	87	86	3	800	AC	85°	255°	2
15	270	12	10	SCT	2969	87	85°	3	800	AC	85°	255°	2
16	280	15°	10	SCT	2969	80	75	3	1750	AC	83	280	2
17	280	15°	10	SCT	2969	80	75°	3	1750	AC	83	280	2
18	260	15°	10	SCT	2969	83	79	3	1400	AC	83	280	2
19	280	15°	10	SCT	2970	81	79	3	800	AC	83	280	2
20	275°	13	10	SCT	2971	80	75°	3	1750	AC	83	275	2
21	275°	13	10	SCT	2973	80	75°	3	1750	AC	83	275	2
22	340	15°	10	SCT	2975	79	74	3	1750	AC	82	340	2
23	340	15°	10	SCT	2975°	77	74	3	1750	AC	82	340	2
24	340	13	10	SCT	2976	77	74	3	1750	AC	82	350	2

POSITION	ZONE	TIME
0800		
L 31-19 N	BY	1+4
λ 134-01 E	BY	1+4
1200		
L 31-26 N	BY	1+4
λ 133-57 E	BY	1+4
2000		
L 32-39 N	BY	3
λ 132-56 E	BY	3

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 170.0

FUEL CONSUMED 0000-2400: 195.1

REMARKS

00-04 STEAMING INDEPENDENTLY IN LOCAL OP-AREA IN ACCORDANCE WITH COMFLTAIRWING SIX OP-ORD 330-63. BASE COURSE 190° BASE SPEED 4 KTS. MATERIAL CONDITION YOKE MODIFIED, READINESS CONDITION IV, ENGINEERING CONDITION III, AND DAMAGE CONTROL CONDITION III SET.

R E Holt
LTJG USN.

04-08 UNDER WAY AS BEFORE 0430 R/30° RUD. C/C 010° T 0517 R/30° RUD. C/C 260° T C/S 7.7 KT. C/S 8.9 KTS. 0530 C/C 208° T C/S 12.3 KTS. 0540 C/C 226° T 0556 MANUVERING ON VARIOUS COURSES AND VARIOUS SPEEDS TO PROVIDE EXERCISE SERVICES TO AIRCRAFT AND USS DIODON (SS) 0625 ENS. TURNER HAS THE CONN

F M Osborne BMCA USN.

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: D D Mason Jr Lt. U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Tuesday (Day) 3 (Date) September (Month), 19 63

08-12 ~~Steam~~ underway as before; 0800 mustered the crew on stations. JHH Absentees: none. Maneuvering on various courses and speeds, providing Exercise Services to aircraft and USS DIODON (SS). Lcdr MC Kinzie has the Comm. 0919 Made Daily Inspection of Magazines and Smokeless powder samples, Conditions: Normal. 1143 OOD has the Comm. Completed Services with USS DIODON (SS).

J.H. Hollis, CWO2, USN.

12-16 Underway as before. 1204 C/S to 6.7 KTS. 1205 Commenced maneuvering on various courses at various speeds to recover Torpedos. 1233 Torpedo ~~co~~ Recovered. 1234 C/S to 9.5 KTS. 1235 C/S to 12.5 KTS. C/C to 225°. 1301 Maneuvering to Recover ~~Torpedo~~. Sonar buoy. 1307 Sonar buoy Recovered. 1334 C/C To 316°. C/S to 12.3 KTS. Released by OTC; permission granted to return to port.

R.S. Nasr, Slg, USNR

16-18 Underway As Before. 1631 C/C 320° 1641 C/C 316°

J.E. Horton
ATTC USN.

18-20 UNDER WAY AS BEFORE 1810 4/10° RUD C/C 300° T 1835 SIGHTED KANAI SAKI LIGHT BEARING 040° REL. 1840 SIGHTED ASHIZURI SAKI LIGHT BEARING 050° RELATIVE 1900 SIGHTED KASHIWA SHIMA LIGHT BEARING 000° RELATIVE 1902 SIGHTED MOTONOMA KAIKYO LIGHT 280° RELATIVE 1918 C/C 270° T 1949 4/5° RUD. C/C 262° T

F.H. Delorme BMCA USN

20-24 ~~Underway as before~~; 2100 last sight of KANAI Light. Brg. 072° Range approx. 12.5 mi. 2134 C/C 335°. 2202 sighted HIRORI ~~Shima Light~~ Light, Brg. JHH 328°, distance approx. 21 mi. 2243 C/C 337°.

Jal Hollis, CWO2, USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R.S. Nasr, Slg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION -9-I DATE Wednesday (Day) 4 (Date) September (Month), 1963

AT/~~PASSAGE FROM~~ Local op area TO IWAKUNI, JAPAN

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	300	11	8	SCT	2976	75	73	4	800	CU	84	240	2
02	270	11	8	SCT	2977	74	73	4	400	CU	84	240	2
03	280	10	8	SCT	2978	74	73	5	400	CU	84	240	2
04	330	5	10	CLR	2979	75	71	—	—	—	80	CALM	
05	000	5	10	CLR	2978	75	71	—	—	—	80	CALM	
06	275	4	10	CLR	2983	74	72	—	—	—	80	CALM	
07	320	4	8	H	2983	73	72	—	—	—	80	CALM	
08	320	4	8	H	2983	73	72	—	—	—			
09	325	4	8	H	2983	73	72	—	—	—			
10	325	4	8	H	2984	74	73	—	—	—			
11	325	3	8	CLR	2984	76	72	—	—	—			
12	325	3	8	CLR	2984	78	72	—	—	—			
13	325	3	8	CLR	2984	80	72	—	—	—			
14	325	2	8	CLR	2984	81	73	—	—	—			
15	325	2	8	CLR	2986	82	74	—	—	—			
16	010	1	8	SCT	2986	83	75	5	2800	CU			
17	010	1	8	SCT	2986	83	75	5	2800	CU			
18	010	1	8	SCT	2986	83	75	5	2800	CU			
19	010	1	8	SCT	2986	83	75	5	2800	CU			
20	010	1	8	SCT	2987	82	74	5	2100	CU			
21	015	2	8	SCT	2988	80	74	5	2100	CU			
22	020	2	8	SCT	2988	79	74	5	1750	CU			
23	020	1	8	SCT	2988	77	74	5	1000	CU			
24	020	2	8	SCT	2988	75	72	5	1000	CU			

POSITION	ZONE	TIME
0800 L	34-16.5 N	BY 3
λ	132-08.5E	BY 3
1200 L		BY
λ		BY
2000 L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 93.0

FUEL CONSUMED 0000-2400: 254

REMARKS

00-04 steaming independently enroute from assigned OP-area to Iwakuni, Japan IAW comflot air wing six (6) OPORD 330-63 Base course 337° Base speed 12.3 KTS material condition YOKE modified is set Radiation condition I Eng. condition III DC. condition III are set. 0011 C/C to 321° 0032 C/C to 323° 0128 C/C to 331° 0150 C/C to 325° 0154 C/C to 335° 0222 C/C to 042° 0250 C/S to 3.3 KT. 0251 C/S to 6.7 KTS C/S to 12.3 KT 0329 C/C to 050°

C.E. Mann BM1 USN

04-08 Underway As Before ϕ547 C/C ϕ21° ϕ558 IYO NADA FAIRWAY BUOY NINE ABEAM TO PORT APPROX 2ϕϕ FT. ϕ559 C/C 355° ϕ6ϕ2 C/C ϕ24° ϕ6ϕ5 C/C TO 345° ϕ61ϕ C/C 337° ϕ624 C/C 012° ϕ632 C/C 275° ϕ644 C/C 277° ϕ659 C/C 321° 0719 C/C 292° ϕ73ϕ C/C TO 285° ϕ744 C/C 3ϕϕ° ϕ75ϕ C/S 6.7 KTS ϕ752 C/S TO 12.3 KTS ϕ756 STATIONED THE ANCHOR DETAIL. CAPTAIN AND NAVIGATOR ON THE BRIDGE. CAPTAIN WAS THE CONN ϕ758 C/S 3.3 KTS C/C 315°

J.E. Horton LTJG USN

APPROVED: C.C. Reed Lt. U.S.N. COMMANDING

EXAMINED: R.D. Moon Lt(jg) U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Wednesday (Day) 4 (Date) September (Month), 1963

08-12 Underway as before; 0800 mustered the crew on stations. absentees: none. Captain has the comm. navigator on the Bridge. Commenced maneuvering on various courses & speeds while approaching Bony Foxtrot, Iwakuni Japan Acharage. 0809 moored to ~~Bony~~ Buoy Foxtrot, with starboard Anchor Chain. JOH Chain veered to 15 fathoms on deck. 0817 secured the Anchor detail and set the regular in port watch.

Jal Hollis, CWO-2, USN.

08-12 (CON'T) MOORED AS before. 0915 COMMENCED OFF-LOADING MK 43 and 34 TORPEDOES. 0955 SECURED FROM OFF LOADING MK 43 AND 34 TORPEDOES. 1030 MADE daily INSPECTION OF MAGAZINES AND SMOKELESS powder SAMPLES, CONDITIONS NORMAL.

RS Mason
Stgy, USNR.

12-16 MOORED AS before

RS Mason, Stgy, USNR

16-20 MOORED AS before. 1800 SET MATERIAL CONDITION YOKE. (Modified).

RS Mason, Stgy, USNR

20-24 MOORED AS before

RS Mason, Stgy, USNR

APPROVED: C C Reed Lt U.S.N. COMMANDING

EXAMINED: R S Mason, Stgy U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION -9- F DATE Thursday (Day) 5 (Date) September (Month), 19 63

AT/~~PASSAGE~~ FROM IWAKUNI, JAPAN TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	020	2	8	BKN	2988	75	72	6	1000	CU			
02	020	2	8	BKN	2989	74	71	6	1000	CU			
03	020	2	8	BKN	2989	73	70	6	1000	CU			
04	020	2	8	BKN	2990	72	69	6	1000	CU			
05	030	2	8	SCT	2990	73	70	5	1000	Sc			
06	050	2	8	SCT	2991	73	70	5	1000	Sc			
07	060	3	8	H	2991	73	70	5	1000	Sc			
08	080	3	7	H	2992	74	72	5	800	Sc			
09	100	3	7	H	2992	75	73	5	800	Sc	77	CALM	
10	120	6	7	H	2991	80	76	7	1400	Sc	77	CALM	
11	130	6	7	H	2991	82	77	7	1750	Sc	77	CALM	
12	130	6	7	H	2990	82	77	7	1750	Sc	77	CALM	
13	145	16	8	H	2989	79	76	7	1000	Sc	77	CALM	
14	145	16	8	A	2988	79	77	7	800	Sc	77	CALM	
15	171	12.5	8	H	2986	82	79	7	1000	Sc	77	160	1
16	140	14	8	H	2987	82	78	7	1400	Sc	77	160	1
17	130	14	8	H	2987	82	78	8	1400	Sc	77	160	1
18	100	14	8	BKN	2988	82	78	8	1400	Sc	77	160	1
19	100	12	6	BKN	2988	81	79	6	800	Sc	77	160	1
20	095	4	8	BKN	2991	82	79	6	800	AC	77	100	1
21	100	5	10	SCT	2990	83	81	1	800	AC	82	100	2
22	110	4	10	SCT	2990	82	81	4	400	AC	85	100	2
23	—	—	10	BKN	2990	81	80	7	400	CU/AC	85	CALM	
24	—	—	10	BKN	2990	81	80	7	400	CU/AC	85	CALM	

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L 33-33.2N		BY 3
λ 132-10.3E		BY 3
2000		
L 32-32.7N		BY 3
λ 133-05.5E		BY 3

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 211.2

FUEL CONSUMED 0000-2400: 1586

REMARKS

00-04 MOORED to ~~buoy~~ buoy FOXTROT, MARINE CORPS AIR FACILITY, IWAKUNI, JAPAN. ~~Ships~~ MATERIAL CONDITION YOKE (Modified) is SET. Ships PRESENT INCLUDE VARIOUS UNITS of the U.S. PACIFIC FLEET and YARD CRAFT. SOPA is COMNAVAIRWING SIX. RS

R S Mason, Lt(jg), USNR

04-08 MOORED AS before: 0615 MUSTERED THE CREW ON STATIONS. ABSENTEES NONE. 0700 COMMENCED MAKING PREPARATIONS for UNDERWAY. 0700 SET THE SPECIAL SEA AND ANCHOR DETAIL. 0730 COMPLETED ALL PREPARATIONS for GETTING UNDERWAY. DRAFT 14'1" FORWARD, 15'7" AFT.

R S Mason, Lt(jg), USNR

04-08 (CONTINUED) 0730 Underway in accordance with Comseventh Flt. op orders. First Quarter FY64. Enroute from Iwakuni Japan to Yokosuka Japan. Steering various courses & speeds

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R S Mason Lt(jg) U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF 96) THURSDAY (Day) 5 (Date) SEPTEMBER (Month) 19 63

for safe passage out of the Channel. Captain has the Conn. Navigator is on the Bridge 0733 C/S 9.5 Kts. C/C 125°, 0735 C/S 12.3 Kts C/C 135°, 0737 C/C 155°, 0739 C/C 120°, 0740 C/C 116°, 0747 C/C 120°, 0750 C/C 116°, 0752 C/C 120°, 0755 C/C 116°,

J. L. Hollis. CWO2 USN

Ø8-12 UNDERWAY AS BEFORE: Ø810 C/C 110° Ø819 C/C 146° Ø843 C/C 095° Ø845 C/C 103° Ø904 C/C 195° Ø919 C/C 159° Ø935 C/C 164° Ø939 C/C 159° Ø938 C/C 188° Ø945 C/C 223° 1ØØ7 PASSED IYO NADA ~~STAITT~~ STRAIT FAIRWAY ~~BOUY~~ BUOY EIGHT ABEAM TO PORT, 4ØØ YDS. 1Ø1Ø C/C 228° 1Ø5Ø MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES CONDITIONS NORMAL. CONDUCTED WEEKLY TEST OF MAGAZINE SPRINKLER SYSTEM: TEST SATISFACTORY

L E Horton
LTJG USN

12-16 UNDERWAY AS BEFORE 1300 L/15° RUD. C/C 185° T
13 16 L/30°/RUD. EASE TO 15° C/C 145° T 1330 C/S 11.1 KTS
14 45 PASSED MIZUNOKO SHIMA LIGHT ABEAM TO STAR BOARD.

F. H. Dufresne BMCA USN

16-18 UNDERWAY AS BEFORE 1708 C/C 105°

J. L. Hollis. CWO2 USN

18-20 UNDERWAY AS BEFORE

C. E. Mann BM1 USN

2Ø-24 Underway As Before. 2335 Sighted Muroto Zaki Light bearing Ø26° 10 Miles.

L E Horton
LTJG USN

APPROVED: C C Reed LT U. S. N. COMMANDING

EXAMINED: R O Thomas Lt U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF 96) ZONE DESCRIPTION -9I DATE FRIDAY (Day) 6 (Date) SEPT (Month), 1963

AT/PASSAGE FROM IWAKUNI, JAPAN TO YOKOSUKA, JAPAN

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	090	4	10	BKN	2988	81	80	7	400	SC	85	120	1
02	090	4	10	BKN	2987	81	80	7	400	SC	85	120	1
03	090	4	10	BKN	2987	80	79	7	400	SC	85	120	1
04	080	6	10	BKN	2986	80	79	7	400	SC	85	120	1
05	080	6	10	BKN	2985	80	79	7	400	SC	85	120	1
06	080	11	10	BKN	2986	78	77	7	400	SC	85	120	1
07	080	10	10	BKN	2987	79	78	7	400	SC	85	120	1
08	080	10	10	BKN	2987	79	78	7	400	SC	85	120	1
09	080	10	10	BKN	2987	80	78	8	800	SC	85	120	1
10	—	—	10	BKN	2986	81	80	8	400	SC	85	120	1
11	—	—	9	H	2986	81	80	8	400	SC	83	CALM	
12	—	—	7	H	2985	81	80	7	400	SC	82	CALM	
13	—	—	5	H	2985	81	80	10	400	SC	80	CALM	
14	—	—	3	H	2985	81	80	10	400	SC	80	CALM	
15	—	—	6	H	2984	81	80	10	400	SC	80	CALM	
16	115	9	6	H	2984	80	79	10	400	SC	80	CALM	
17	115	9	6	H	2983	80	79	10	400	SC	80	CALM	
18	050	4	5	F/H	2982	78	77	10	400	ST	80	CALM	
19	070	4	5	F/H	2982	78	77	10	400	ST	80	CALM	
20	070	4	3	F/H	2982	78	77	10	400	ST	80	CALM	
21	070	4	3	F/H	2982	78	77	10	400	ST	80	CALM	
22	065	4	3	H/L	2981	78	77	10	400	ST	80	CALM	
23	065	4	3	H	2981	77	76	10	400	ST	80	CALM	
24	070	4	4	H	2981	77	76	10	400	ST	80	CALM	

POSITION	ZONE	TIME
0800 L 34-17.5N	BY	4+3
λ 138-37.4E	BY	4+3
1200 L 33-42 N	BY	1+4
λ 136-58E	BY	1+4
2000 L 33-24 N	BY	1+2
λ 136-07.5E	BY	1+2

LEGEND: 1—CELESTIAL 2—ELECTRONIC 3—VISUAL 4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 243.9

FUEL CONSUMED 0000-2400: 1794

REMARKS

00-04 STEAMING INDEPENDENTLY ENROUTE FROM IWAKUNI, JAPAN TO YOKOSUKA, JAPAN IN ACCORDANCE WITH COM SEVENTH FLT FIRST QUARTER F.Y. 1964 OPERATION SCHEDULE BASE COURSE 073° BASE SPEED 11.1 KTS MATERIAL CONDITION YOKE MODIFIED READINESS CONDITION V ENGINEERING CONDITION III DAMAGE CONTROL CONDITION III ARE SET

[signature] BMCA USN

04-08 STEAMING AS BEFORE 0745 TESTED SHIPS GENERAL, CHEMICAL AND STEERING EMERGENCY ALARMS-TEST SATISFACTORY

J.H. Hollis, CW02 USN

APPROVED: C C Reed Lt U.S.N. COMMANDING

EXAMINED: R S Mason, Stgr U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF 96 FRIDAY (Day) 6 (Date) SEPT (Month), 19 63

08-12 UNDERWAY AS BEFORE 0800 MUSTERED CREW ON STATIONS ABSENTEES NONE C/S 8.9 KTS 0845 C/C TO 065 0848 MADE DAILY INSPECTION OF MAGAZINE AND SMOKELESS POWDER SAMPLES MADE WEEKLY TEST OF MAGAZINE SPRINKLING SYSTEM CONDITION NORMAL

C E Mann BM1 USN

12-16 UNDERWAY AS BEFORE

J E Horton
LTJG USN

~~18-20~~
16 - 18 UNDERWAY AS BEFORE

J H Osborne BMCA USN

18 - 20 UNDERWAY AS BEFORE 1735 C/C 058°

J A Wallis QMO2 USN

20-24. Underway as Before.

J E Horton
LTJG USN

APPROVED: C C Beal Lt. U. S. N. COMMANDING

EXAMINED: R S Rosen Ltjg U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION -9 DATE SATURDAY (Day) 7 (Date) SEPTEMBER (Month) 19 63

AT/PASSAGE FROM IWAKUNI, JAPAN TO YOKOSUKA, JAPAN

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	070	6	4	H/F	2981	77	76	10	200	ST	77	CALM	
02	100	5	5	H/F	2981	76	75	10	100	ST	77	CALM	
03	120	3	5	H/F	2981	74	73	10	100	ST	77	CALM	
04	120	4	5	H/F	2979	75	74	10	100	ST	77	CALM	
05	140	4	5	H/F	2979	75	74	10	100	ST	77	CALM	
06	170	4	7	H/F	2979	75	74	10	100	ST			
07	180	3	7	H/F	2980	75	74	10	200	ST			
08	190	3	7	OVC	2980	75	74	10	300	ST			
09	200	2	7	OVC	2981	76	73	10	1000	ST			
10	210	1	7	OVC	2981	76	72	10	1400	ST			
11	220	1	7	OVC	2982	77	73	10	1400	ST			
12	210	2	7	OVC	2983	77	73	10	1400	ST			
13	200	2	7	OVC	2985	76	72	10	1400	ST			
14	190	3	7	OVC	2985	76	72	10	1400	ST			
15	190	4	7	OVC	2985	76	72	10	1400	ST			
16	195	5	8	OVC	2986	76	72	10	1400	ST			
17	190	5	8	OVC	2986	75	73	10	400	ST			
18	180	5	8	OVC	2987	75	74	10	400	ST			
19	170	4	8	OVC	2988	75	74	10	400	ST			
20	160	3	8	OVC	2988	75	74	10	400	ST			
21	150	2	8	OVC	2988	74	73	10	400	ST			
22	140	2	8	OVC	2989	74	73	10	400	ST			
23	130	3	8	OVC	2990	74	73	10	400	ST			
24	130	3	8	OVC	2990	73	72	10	400	ST			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 90.0

FUEL CONSUMED 0000-2400: 908

REMARKS

ΦΦ-Φ4 STEAMING INDEPENDENTLY ENROUTE FROM IWAKUNI, JAPAN TO YOKOSUKA JAPAN IN ACCORDANCE WITH COM SEVENTH FLT. FIRST QUARTER 1964 OPERATION SCHEDULE. BASE COURSE Φ58° BASE SPEED 8.9 KTS. MATERIAL CONDITION YOKE MODIFIED, READINESS CONDITION V, ENGINEERING CONDITION III, AND DAMAGE CONTROL CONDITION III SET. ΦΦΦ1 C/S 6.7 KTS. Φ42Φ C/C Φ24° Φ3Φ7 C/C Φ45° Φ333 C/S 9.5 KTS. Φ346 C/C Φ57°

LE Horton
LTJG USN.

04-08 UNDER WAY AS BEFORE 0540 C/S 6.7 KTS. 0542 C/S 9.5 KTS 0550 C/C 016° T 0645 C/C 358° T 0659 R/5° RUD. C/C 005° T 0700 MUSTER ON STATIONS. ABSENTEES: NONE 0705 L/15° RUD C/C 338° PASSED ~~BUOY~~ BUOY #2 TO PORT 0715 R/5° RUD. STEER 340° T 0718 L/15° RUD. C/C 315° T 0724 R/3° RUD C/C 310° T 0725 CWO HOLLIS HAS THE CONN

FH Stone BMCA USN

APPROVED: C C Reed LT U. S. N. COMMANDING

EXAMINED: D S Mason Ltjg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SATURDAY (Day) 7 (Date) September (Month), 1963

08-12 underway as before. 0728 c/c 275°, 0734 c/c 280°, 0735 c/c 285°, 0737 c/c 291°, 0738 set the special sea and anchor detail, captain & navigator on the Bridge. Make preparations for entering Yokosuka Harbor. 0944 Captain has the conn. Commenced steering various courses at various speeds while transiting the charted channel & Harbor. 0801 commenced approach to Berth 8 South. 0808 moored port side to and outboard of USCG plaintree (WAGL-307) Berth 8 South, U.S. Naval Fleet activities, Yokosuka, Japan. 0820 Secured the special sea and anchor detail. J.L. Hollis CWO2 USN

08-12 (CONT) MOORED AS BEFORE. 0936 COMMANDING OFFICER HELD MAST AND ~~IMPONE~~ IMPOSED THE FOLLOWING NON-JUDICIAL PUNISHMENT: WHITE, JOHN L. JR. 533-22-10 EN3 USN VIOLATION OF UCMJ ART 134. REDUCED TO NEXT INFERIOR RATE. MARAMAG, ORMIE R. 485-13-79 SN USN VIOLATION OF UCMJ ART 134. DISMISSED, LACK OF EVIDENCE. JEH

L E Horton
LTJG USN

12-16 MOORED AS BEFORE. 1545 PURSUANT TO COMMANDING OFFICER ORDERS, LUJAN, RUFO J. 520-13-30 RD3 USN, DEPARTED THIS COMMAND FOR TAD AT SHORE PATROL HEAD-QUARTERS, YOKOSUKA, JAPAN.

L E Horton
LTJG USN

16-20 MOORED AS BEFORE. 1800 SET MODIFIED MATERIAL CONDITION YOKE.

L E Horton
LTJG USN

20-24 MOORED AS BEFORE.

L E Horton
LTJG USN.

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R S Mason, Ltjg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION -9 DATE SUNDAY (Day) 8 (Date) September (Month), 19 63

AT/~~PASSAGE FROM~~ YOKOSUKA, JAPAN ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	130	3	8	OVC	2990	73	72	10	400	ST			
02	130	3	8	OVC	2990	73	72	10	400	ST			
03	120	3	8	OVC	2991	73	72	10	400	ST			
04	110	3	8	OVC	2991	72	71	10.	400	Sc			
05	100	4	8	OVC	2992	73	72	10	400	Sc			
06	100	5	10	OVC	2992	74	73	10	400	Sc			
07	100	5	10	OVC	2992	75	73	10	800	Sc			
08	090	4	10	OVC	2993	75	73	10	800	Sc			
09	080	4	10	OVC	2993	75	73	10	800	Sc			
10	070	5	10	OVC	2994	76	72	10	1400	Sc			
11	070	4	10	OVC	2994	76	72	10	1400	Sc			
12	065	4	10	OVC	2994	76	72	10	1400	Sc			
13	065	4	10	OVC	2994	78	74	10	1400	Sc			
14	065	4	10	OVC	2994	80	75	10	1750	Sc			
15	065	4	10	OVC	2993	79	74	10	1750	Sc			
16	070	4	10	OVC	2993	78	74	10	1450	Sc			
17	070	3	10	OVC	2993	78	73	10	1750	Sc			
18	070	4	10	OVC	2993	77	73	10	1400	Sc			
19	060	4	10	OVC	2993	77	73	10	1400	Sc			
20	060	5	10	OVC	2993	76	73	10	1000	Sc			
21	055	6	10	OVC	2993	74	73	10	800	Sc			
22	045	6	10	OVC	2993	73	72	10	400	Sc			
23	040	6	10	OVC	2992	72	72	10	400	Sc			
24	040	7	10	OVC	2992	71	70	10	400	Sc			

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: Ø

FUEL CONSUMED 0000-2400: Ø

REMARKS

ØØ-Ø4 MOORED PORT SIDE TO OUT BOARD USCG PLANE TREE. IN BERTH SIX SOUTH WITH STANDARD MOORING LINES DOUBLED. MODIFIED MATERIAL CONDITION YOKE SET. RECEIVING STEAM, ELECTRICITY, FRESH WATER, AND TELEPHONE SERVICE FROM THE PIER. SOPA IS COMCAR DIV THREE IN USS CORRAL SEA (CVA 43 SHIPS PRESENT INCLUDE VARIOUS UNITS OF US PACIFIC FLEET, JAPANESE SELF DEFENSE FORCE, AND YARD CRAFT. Ø1ØØ LUJAN, RUFO J. 520-13-30 RD3 USN RETURNED TO THIS COMMAND, TERMINATING TAD AT SHORE PATROL HEAD QUARTERS.

J E Horton
LTJG USN

Ø4-Ø8 MOORED AS BEFORE.

J E Horton
LTJG, USN

APPROVED: C C Creed H. U.S.N. COMMANDING

EXAMINED: R D Mason, Stjg U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP _____ Sunday (Day) 8 (Date) September (Month), 19 63

08-12 MOORED AS before. 0800 MUSTERED THE CREW ON STATIONS ABSENTEES NONE. 1020 MADE daily INSPECTION OF MAGAZINES And smokeless powder SAMPLES. Conditions NORMAL.

RS Mason, Ltjg, USNR

12-16 MOORED AS before

RS Mason, Ltjg, USNR

16-20 MOORED AS before. * 1800 SET MATERIAL CONDITION Yoke (Modified). * 1605 ~~MA~~ PURSUANT TO The ORDERS of The COMMANDING OFFICER, MAT, H. G 540 12 34 departed THE SHIP TO ~~RS Mason, Ltjg, USNR~~ REPORT TO The SENIOR SHORE PATROL OFFICER, YOKOSUKA, JAPAN FOR TAD

RS Mason, Ltjg, USNR

20-24. MOORED AS before

RS Mason, Ltjg, USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: RS Mason, Ltjg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abnaki (ATF-96) ZONE DESCRIPTION -9 DATE Monday (Day) 9 (Date) September (Month), 1963

AT/~~PASSAGE~~ FROM Yokosuka JAPAN TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	7	10	OVC	2993	71	70	10	400	SC			
02	030	8	7	OVC	2993	71	70	10	400	ST			
03	040	8	7	OVC	2993	71	70	10	400	ST			
04	040	9	6	OVC	2993	70	70	10	400	ST			
05	045	10	5	OVC	2993	70	70	10	400	ST			
06	045	10	5	OVC	2993	70	70	10	400	ST			
07	045	10	4	OVC	2994	70	70	10	400	ST			
08	045	10	4	OVC	2994	70	70	10	400	ST			
09	045	10	4	OVC	2995	71	70	10	400	ST			
10	045	10	4	OVC	2995	71	70	10	400	ST			
11	045	10	4	OVC	2996	71	70	10	400	ST			
12	045	10	4	OVC	2996	71	70	10	400	ST			
13	045	10	4	OVC	2997	71	70	10	400	ST			
14	045	10	3	OVC	2998	72	70	10	400	ST			
15	045	9	3	OVC	2998	72	70	10	800	ST			
16	045	9	3	R	2998	72	70	10	800	ST			
17	045	8	3	R	2998	71	70	10	400	ST			
18	045	7	3	R	2998	71	70	10	400	ST			
19	045	6	3	R	2998	70	70	10	200	ST			
20	045	5	3	R	2998	70	70	10	200	ST			
21	045	5	3	R	2998	70	70	10	200	ST			
22	045	5	3	R	2997	70	70	10	200	ST			
23	045	5	3	R	2997	70	70	10	200	ST			
24	045	5	3	R	2997	69	69	10	200	ST			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: Ø

FUEL CONSUMED 0000-2400: Ø

REMARKS

00-04. Moored portside to out board USCG Plaintree, Berth Six South with standard moorings lines doubled. Material condition Yoke (Modified) is set. Receiving steam, electricity, fresh water and telephone services from the pier. SOPA is COMCARDIV THREE Embarked USS Coral Sea (CVA-43). Ships present include various units of the U.S. Pacific Fleet, Japanese Self Defense force and yard craft. 0054 MA7, A.G. 540 12 34, QM3, USN returned to the ship having completed TAD as shore patrol.

R S Mason, Stgt, USNR

04-08 Moored as before.

R S Mason, Stgt, USNR

APPROVED: C C Reed U.S.N. COMMANDING

EXAMINED: R S Mason, Stgt U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Monday (Day) 9 (Date) September (Month), 1963

08-12 moored as before. mustered the crew on stations: absentees: none. 0845 commenced preparations to shift berths (cold iron). 0855 made daily inspection of magazines and supplies powder samples. Conditions: normal. 0902 set the Special Sea and Anchor detail. 0914 underway with Harbor tugs. Captain & Harbor pilot on the bridge. In accordance with verbal order from Harbor control. 0941 moored port side to berth 5 U.S. Naval Fuel Activities Yokosuka Japan. Standard mooring lines doubled. 0952 secured the Special Sea and anchor detail.

J.L. Hollis. CWO-2. USN

12-16 moored as before:

J.L. Hollis. CWO-2 - USN

16-20 moored as before: 1600 pursuant to the orders of the Commanding officer, Driene, James B., 522-69-10, EM3, USN left the ship to report to shore Patrol Headquarters for temporary duty. 1800 set condition yoke (modified).

J.L. Hollis CWO-2 USN

20-24 Moored as before:

J.L. Hollis. CWO-2, USN

APPROVED: C.C. Reed Lt U.S.N. COMMANDING

EXAMINED: R.D. Mason, Ltjg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION -9 I DATE Tuesday (Day) 10 (Date) SEPTEMBER (Month), 1963

AT/~~PASSAGE FROM~~ YOKOSUKA, JAPAN ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	045°	3	3	R	2996	69	68	10	400	ST			
02	045°	3	3	R	2996	69	68	10	400	ST			
03	045°	3	3	R	2995	69	66	10	400	ST			
04	045°	2	3	R	2996	69	68	10	400	ST			
05	045°	1	3	R	2999	69	69	10	400	ST			
06	045°	2	2	H	2999	69	69	10	200	ST			
07	045°	8	2	H	2998	69	69	10	100	ST			
08	045°	8	2	H	2997	69	69	10	100	ST			
09	045°	8	2	H	2996	69	69	10	100	ST			
10	045	8	2	H	2996	69	69	10	100	ST			
11	050	8	2	H	2996	69	69	10	100	ST			
12	050	8	3	OVC	2996	72	70	10	800	ST			
13	050	7	3	BKN	2995	74	71	9	1000	ST			
14	055°	7	5	BKN	2995	76	72	9	1400	ST			
15	055°	7	8	BKN	2995	78	76	8	1800	ST			
16	055°	7	8	BKN	2995	78	76	8	400	ST			
17	055°	6	10	BKN	2995	78	76	6	400	ST			
18	060	6	10	BKN	2994	77	75°	6	800	ST			
19	060	6	10	BKN	2994	77	75°	6	800	ST			
20	070	6	10	BKN	2995	76	74	6	800	ST			
21	070	7	10	BKN	2994	76	74	6	800	ST			
22	070	7	10	BKN	2994	76	74	6	800	ST			
23	080	7	10	BKN	2994	75°	73	6	800	ST			
24	070	7	10	BKN	2994	74	72	6	800	ST			

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: Ø

FUEL CONSUMED 0000-2400: Ø

REMARKS

00-04 moored port side to Berth Five (5) U.S. navy fleet activities, Yokosuka, Japan, with standard mooring lines doubled. Receiving power, steam, potable water and telephone services from the pier. Condition ope (modified) set. Ships present include various units of the U.S. Pacific Fleet Japanese Self defense force, district and small craft. S.O.P.A. is RADM. John W. GANNON ComCARDIV. Three in USS Coral Sea (CVA#43). QMSO GREENE, James B., 522-69-10 USN, returned to the ship having completed temporary duty on shore patrol.

J.D. Hollis, CWO-2, USN

04-08 moored as before: 0745 mustered the crew at Quarters: Absentees: none.

J.D. Hollis, CWO, 2-USN

APPROVED: C.C. Reed Lt. U.S.N. COMMANDING

EXAMINED: R.R. Nasen, Stjg U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 Tuesday (Day) 10 (Date) September (Month), 19 63

08-12 Moored as before. 0930 Made daily inspection of magazine and smokeless powder samples, condition normal. 1105 Harbor pilot came aboard. 1115 Set special sea and anchor detail, Captain and pilot on the bridge. Yard LCM's alongside. 1119 Underway cold iron to change berths to outboard USS Grapple ARS-7 berth Eight. 1152 Moored portside to ~~on~~ berth Eight outboard of USS Grapple ARS-7. 1155 Yard LCM's cast off. 1159 Harbor pilot departed the Ship.

Chas Turner Enl USN

12-16 Moored as before

Chas Turner Enl USN

16-20 Moored as before. 1648 Pursuant to the orders of the Commanding Officer Kite, Delmas W 586 1996 En 3 USN left the ship to report Senior Shore Patrol Officer Yokosuka for Temporary additional duty. 1800 Set condition Yoke modified

Chas Turner Enl USN

20-24 Moored as before

Chas Turner Enl USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: D S Mason, Lt(jg) U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION -9I DATE Wednesday (Day) 11 (Date) September (Month) 19 63

AT/PASSAGE FROM Yokosuka Japan TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	045	2	4	H	2996	70	69	10	400	ST			
02	045	2	4	H	2998	70	69	10	400	ST			
03	045	2	4	H	2998	70	69	10	400	ST			
04	045	2	4	H	2998	70	69	10	400	ST			
05	045	2	4	H	2998	73	70	10	1000	ST			
06	045	2	4	H	2998	73	70	10	1000	ST			
07	045	2	4	H	2999	75	72	10	1000	ST			
08	045	2	4	H	2999	75	73	10	800	ST			
09	045	2	4	H	2999	77	75	10	800	ST			
10	045	2	4	H	2999	77	75	10	800	ST			
11	045	3	4	H	2996	78	74	10	1400	ST			
12	045	3	4	H	2996	78	74	10	1400	ST			
13	060	4	4	H	2995	80	75	10	1750	ST			
14	060	4	4	H	2994	83	77	10	1750	ST			
15	060	4	4	H	2993	83	78	9	1750	ST			
16	—	—	4	H	2993	82	78	9	1400	ST			
17	—	—	4	H	2992	82	79	9	1000	ST			
18	—	—	4	H	2991	81	79	9	800	ST			
19	050	1	4	H	2991	81	78	9	1000	ST			
20	050	1	5	H	2991	80	78	9	800	ST			
21	045	1	5	H	2990	79	78	9	400	ST			
22	—	—	5	H	2990	78	77	9	400	ST			
23	—	—	5	H	2989	77	76	9	400	ST			
24	—	—	5	H	2989	76	75	9	400	ST			

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: Ø

FUEL CONSUMED 0000-2400: Ø

REMARKS

00-04 Moored portside to berth Eight outboard USS Grapple (ARS -7) ~~using~~ standard mooring lines doubled at Jokosuka Japan. Receiving fresh water, steam, electric power and telephone service from the pier. Material Condition Modified Yoke is set. Ships present include various units of US Pacific Fleet, units of Japanese self defense force, and yard and district craft. SOPA is COMCARDIV THREE. Embarked in USS CORAL SEA CLUA-437

Am Turner Eng USNR

04-08 Moored as before 0745 mustered crew at quarters absentees none

Am Turner Eng USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R S Mason, Sgy. U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 WEDNESDAY (Day) 11 (Date) SEPTEMBER (Month) 62

0800-1200 MOORED AS BEFORE. 0915 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL. 1000 COM DES FLOT ONE ASSUMED SOPA. IN USS DIXIE (AD-14).

J E Horton
LTJG USN

1200-1600 MOORED AS BEFORE.

J E Horton
LTJG USN

1600-2000 MOORED AS BEFORE 1615 PURSUANT TO COMMANDING OFFICERS ORDERS. DENNINGER, RAYMOND H. EM-2 486-56-56 USN DEPARTED THIS COMMAND FOR TAD AT SHORE PATROL HEAD QUARTERS. 1800 SET MODIFIED MATERIAL CONDITION YOKE.

J E Horton
LTJG USN

2000-2400 MOORED AS BEFORE.

J E Horton
LTJG USN.

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R S Mason, Ltjg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY
NAVY-DPPO-12ND-MI

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF 96 ZONE DESCRIPTION -9I DATE THURSDAY 12 SEPT 19 63
(Day) (Date) (Month)

AT/~~PASSAGE~~ FROM YOKOSUKA JAPAN TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	—	—	5	H	2989	76	75	9	400	ST			
02	—	—	5	H	2988	76	75	10	400	ST			
03	—	—	5	H	2988	76	75	10	400	ST			
04	050	1	5	H	2988	75	74	10	400	ST			
05	050	1	5	H	2986	74	73	10	400	ST			
06	045	1	7	OVC	2986	75	73	10	400	ST			
07	045	2	7	OVC	2986	76	73	10	1000	ST			
08	045	2	7	OVC	2986	77	74	10	1000	ST			
09	060	2	7	OVC	2985	78	75	10	1000	ST			
10	060	3	7	OVC	2984	79	75	10	1400	ST			
11	060	3	7	OVC	2983	82	76	10	2100	ST			
12	065	3	7	OVC	2983	83	77	10	2100	ST			
13	070	3	7	OVC	2983	84	78	10	2100	ST			
14	075	3	7	OVC	2983	84	78	10	2100	ST			
15	070	2	7	OVC	2983	83	78	10	1750	ST			
16	065	2	7	OVC	2984	82	78	10	1400	ST			
17	065	1	7	OVC	2985	82	78	10	1400	ST			
18	060	1	7	OVC	2986	80	78	10	800	ST			
19	050	1	7	OVC	2987	79	77	10	800	ST			
20	050	1	7	OVC	2987	78	76	10	800	ST			
21	—	—	7	OVC	2988	77	75	10	800	ST			
22	—	—	7	OVC	2988	76	74	10	800	ST			
23	—	—	7	OVC	2989	75	73	10	800	ST			
24	—	—	7	OVC	2989	74	72	10	800	ST			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: Ø

FUEL CONSUMED 0000–2400: Ø

REMARKS

ØØ-Ø4. MOORED PORTSIDE TO OUTBOARD USS GRAPPLE (ARS-7) IN BERTH EIGHT SOUTH YOKOSUKA JAPAN WITH STANDARD MOORING LINES DOUBLED. RECEIVING FRESH WATER, STEAM, ELECTRICIAN POWER, AND TELEPHONE SERVICE FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US PACIFIC FLEET, JAPANESE SELF DEFENSE FORCE, AND YARD CRAFT. MODIFIED MATERIAL CONDITION YOKE SET. SOPA IS COMDES FLOT ONE ON USS DIXIE (AD-14) ØØ3Ø DENNINGER RAYMOND N. 486-5654 EM2 USN RETURNED FROM TAD AT SHORE PATROL HEADQUARTERS.

H E Horton
LTJG USN

Ø4-Ø8 MOORED AS BEFORE. Ø745 MUSTERED CREW AT QUARTERS: ABSENTEES NONE.

H E Horton
LTJG USN.

APPROVED: C C Reed LT. U.S.N. COMMANDING

EXAMINED: R D Rason, Ltjg U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki (ATF-96) Thursday (Day) 12 (Date) SEP (Month), 19 63

08-12 Moored as before. 0830 made daily inspection of magazines and smokeless powder samples. Conditions normal.

R S Mason, Slyg, USNR

12-16 Moored as before. 1553 Pursant to the orders of the commanding officer, Waller, T (N) 283,5307, OC2, USN departed the ship to report to Shore Patrol for TAD.

R S Mason, Slyg, USNR.

~~12~~ 16-20 Moored as before. 1800 set material condition Yoke (Modified).

R S Mason, Slyg, USNR

20-24 Moored as before

R S Mason, Slyg, USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R S Mason, Slyg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY
NAVY-DPPO-12ND-MI

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF 96 ZONE DESCRIPTION -9I DATE FRIDAY 13 SEPT 19 63
(Day) (Date) (Month)

AT/~~PASSAGE FROM~~ YOKOSUKA JAPAN ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	—	—	7	OVC	2989	74	72	10	800	ST			
02	—	—	7	OVC	2989	74	72	10	800	ST			
03	—	—	7	OVC	2989	74	72	10	800	ST			
04	050	1	7	OVC	2988	73	71	10	800	ST			
05	060	1	7	OVC	2988	74	72	10	800	ST			
06	060	1	7	OVC	2988	75	73	10	800	ST			
07	060	2	7	OVC	2987	76	73	10	1000	ST			
08	060	2	7	OVC	2987	76	73	10	1000	ST			
09	065	2	7	OVC	2987	76	73	10	1000	ST			
10	065	2	7	OVC	2987	77	74	10	1000	ST			
11	060	2	7	OVC	2987	77	74	10	1000	ST			
12	055	2	7	OVC	2987	76	73	10	1000	ST			
13	055	2	7	OVC	2986	77	74	10	1000	ST			
14	060	F	5	R	2985	77	74	10	1000	ST			
15	060	1	5	L	2984	78	77	10	400	ST			
16	060	1	5	L	2983	77	76	10	400	ST			
17	—	—	5	L	2982	77	76	10	400	ST			
18	065	1	7	OVC	2982	76	74	10	400	ST			
19	065	1	7	OVC	2983	76	74	10	800	ST			
20	070	2	7	OVC	2982	76	74	10	400	ST			
21	070	2	7	OVC	2982	74	72	10	800	ST			
22	070	2	7	OVC	2982	73	71	10	800	ST			
23	065	2	5	OVC	2981	73	71	10	800	ST			
24	070	1	3	~~SKN~~	2982	72	71	9	400	Sc			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

MILES STEAMED 0000–2400
0

FUEL CONSUMED 0000–2400
0

REMARKS

00-04
MOORED outboard USS GRAPPLE (ARS-7), BERTH EIGHT SOUTH, Yokosuka, JAPAN with STANDARD MOORING LINES doubled. Receiving FRESH WATER, STEAM, ELECTRICAL POWER, AND TELEPHONE SERVICES FROM THE PIER. Ships PRESENT include VARIOUS UNITS OF The U.S PACIFIC FLEET, JAPANESE SELF DEFENSE FORCE, AND YARD CRAFT. MATERIAL CONDITION YOKE (Modified) is SET. SOPA is COMDES~~DIV~~FLOT ONE EMBARKED IN USS DIXIE (AD-14). 0045 WALLER, T (N) 283 8307 DC 2, USN RETURNED TO THE SHIP having completed TAD as SHORE PATROL

R S Mason, Ltjg, USNR

04-08 MOORED AS before. 0745 MUSTER The CREW AT QUARTERS. ABSENTEES NONE.

R S Mason, Ltjg, USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R S Mason, Ltjg U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) FRIDAY (Day) 13 (Date) September (Month), 1963

08-12 moored as before: 0805 YC ~~moo~~ cast off from starboard quarter, in tow by pusher boat. 0830 The Commanding officer held mast and imposed the following non-judicial punishment. GREENE, ~~Benjamin~~ James Benjamin 522-69-10, EM3, USN, offense: article 108 and 121 UCMJ. Punishment: dismissed with warning. (~~not considered NJP~~). "Late entry" 0815 personnel injury: while cutting line with a pocket knife Mann, Clayton E, 658-23-48, BM1 USN accidently cut his left wrist, laceration 1¼" to 2" accident occured aboard USS Abnaki (ATF-96) while in the line of duty. Treated in ships Sick Bay By Ripley HM1 - Sutured, with Seven (7) stitches, bandaged & returned to duty, 0940 Made daily inspection of magazines & Smokeless powder samples, Conditions normal. Made weekly test of ~~SP~~ magazine sprinkling and flooding system, Test Satisfactory.

J.C. Hollis. CWO2. USN

12-16 moored as before:

J.C. Hollis, CWO2. USN

16-20 moored as before: 1630 pursuant to of the orders the Commanding officer, Bailey, B.R., 539-19-58 EN3, USN left the ship to report to Shore Patrol Headquarters for temporary duty. 1800 set ~~material~~ Condition yoke (modified).

J.C. Hollis. CWO2

20-24 moored as before:

J.C. Hollis, CWO2, USN

APPROVED: C Reed Lt. U.S.N. COMMANDING

EXAMINED: R S Nason, Ltjg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION -9 I DATE SATURDAY (Day) 14 (Date) SEPTEMBER (Month), 19 63

AT/PASSAGE FROM Yokosuka, Japan TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	070	1	2	BKN	2982	72	71	9	400	Sc			
02	070	1	2	BKN	2982	72	71	7	400	Sc			
03	070	1	2	BKN	2982	72	71	7	400	Sc			
04	070	2	2	BKN	2982	71	70	8	400	Sc			
05	070	3	2	BKN	2982	70	69	8	400	ST			
06	070	4	3	H	2982	70	69	10	400	ST			
07	070	4	3	L	2982	70	69	10	400	ST			
08	070	4	3	H	2981	70	69	10	400	ST			
09	050	6	8	BKN	2979	70	69	9	400	ST	70	000	2
10	040	6	10	BKN	2977	70	69	9	400	ST	70	600	2
11	020	10	10	BKN	2976	72	70	9	800	ST	70	600	2
12	310	15	10	BKN	2975	75	72	9	1000	ST	70	070	4
13	340	16	10	OVC	2974	75	71	10	1400	ST	70	060	5
14	000	16	10	BKN	2974	76	72	7	1400	ST	79	040	5
15	020	16	10	BKN	2974	76	73	7	1000	ST	79	040	5
16	050	15	10	BKN	2972	76	73	7	1000	ST	79	040	5
17	060	15	10	BKN	2974	75	72	7	1000	ST	79	040	5
18	055	15	10	BKN	2977	75	71	7	1400	ST	80	040	4
19	055	15	10	BKN	2980	75	71	7	1400	ST	80	040	5
20	055	15	8	SCT	2980	75	71	5	1400	ST	80	040	5
21	055	18	8	SCT	2981	74	71	5	1000	ST	80	640	5
22	055	18	8	SCT	2983	74	71	5	1000	ST	80	040	6
23	030	20	8	BKN	2984	74	71	6	1000	ST	80	040	6
24	030	17	10	SCT	2986	73	69	3	1400	ST	79	030	6

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L 34-50 N		BY 3
λ 139-49.7E		BY 3
2000		
L 34-44N		BY 1
λ 141-19 E		BY 1

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 154.5

FUEL CONSUMED 0000–2400: 1818

REMARKS

00-04 moored outboard of and portside to USS Grapple (ARS-7) at Berth South Eight (B-85) USN Repair Facility, Yokosuka, Japan. Using standard mooring line doubled. Receiving electrical power, potable water, steam and telephone service from the pier. Condition Yoke (modified) set. Ships present include various units of the U.S. Pacific Fleet, Japanese Self Defense Force, District and Small Craft, and various merchantmen. SOPA is ComDesFlot One in USS Dixie (AD-14). 0055, Bailey, Brent R., 539-19-58, En3, USN returned to the ship having completed temporary duty on shore patrol.

J.L. Hollis. LCDR-2-USN

04-08 moored as before. OHIO Richardson, Donald G., 353-64-77, SN, USN reported aboard - U.A. from 13 Sept. 1963 2400. ~~approximately~~ U.A. approximately ~~Four~~ (4) hours and ten (10) minutes. 0715 mustered the crew on stations. Absentees: None. Commenced preparations

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R S Rosen, Stjg U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SATURDAY 14 September, 1963
(Day) (Date) (Month)

04-08 (con't) for getting underway. 0750 set the Special Sea and Anchor detail. 0756 commenced maneuvering to clear USS Grapple (ARS-7). Captain has the conn. Navigator is on the Bridge. 0759 Underway in accordance with Com Seventh Flt. First ~~Fiscal~~ JLH Quarter oprdg fiscal year 1963. Maneuvering on various courses and speed while proceeding out the charted Harbor + channel.

J.L. Hollis CWO2 USN

08-12 Underway as before: 0808 Ens. McKenzie has the Conn. base course 037°, speed 9.5Kts. 0833 the Captain has the Conn. commenced maneuvering on various courses & speed while approaching anchorage E-2 Conducting exercise 2-S-N. 0845 Anchored by starboard anchor in 20 fathoms of water, sand bottom, 60 fathoms of chain out on deck. 0853 Underway. Captain has the Conn. Navigator on the bridge - proceeding out the channel bound for Pearl Harbor, Hawaii. Base course 275°, speed 9.5Kts. 0909 C/S all stop. Observers left the ship by pusher boat. ~~E~~ 0911 C/S 12.3Kts - course 085°. 0913 C/C 097° JLH 0914 C/C 085°. 0918 secured the special Sea and Anchor detail set the regular underway watch. 0919 Ens. McKenzie has the Conn. ~~0922~~ ~~Mann, BM1 has the deck and the Conn.~~

J.L. Hollis CWO2 USN

08-12 (con't). 0925 C/C to 129° 0934 C/C to 161° 0942 C/C to 178° 0959 C/C to 190° 1015 C/C to 195° 1018 made daily inspection of magazines and smokeless powder samples condition normal. 1021 C/C to 190° 1121 C/C to 125°

C.L. Mann BM1 USN

12-16 UNDERWAY AS BEFORE. 1247 C/C 088° 1300 C/S 11.3 KTS.

L.E. Horton
LTJG USN

16-18 UNDER WAY AS BEFORE

F.H. Delaune BMCA USN

18-20 UNDERWAY AS BEFORE.

J.L. Hollis, CWO2

20-24 underway as before

C.L. Mann BM1 USN

APPROVED: C. Reed Lt. U.S.N. COMMANDING

EXAMINED: R.S. Masers LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS AGNAKI ATF-96 ZONE DESCRIPTION -9 DATE SUNDAY (Day) 15 (Date) SEPTEMBER (Month), 19 63

AT/PASSAGE FROM YOKOSUKA JAPAN TO PEARL HARBOR, HAWAII

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	015	14	10	SCT	2988	72	67	2	1750	CU	80	015	6
02	010	12	10	SCT	2987	71	66	3	1750	CU	78	010	4
03	010	13	10	SCT	2990	71	66	3	1750	CU	78	010	4
04	065	10	10	SCT	2987	71	66	3	1750	CU	80	010	4
05	070	12	10	SCT	2989	70	66	3	1750	CU	80	010	4
06	075	15	10	SCT	2991	72	67	3	1750	CU	80	010	4
07	090	13	10	SCT	2992	71	67	3	1750	CU	80	010	4
08	080	13	10	SCT	2995	72	68	2	1750	CU	80	010	4
09	080	14	10	SCT	2996	73	68	5	1750	CU	80	085	4
10	080	14	10	SCT	2996	73	68	5	1200	CU	78	085	4
11	080	13	10	SCT	2995	74	69	5	1200	CU	75	080	4
12	080	13	10	BKN	2995	75	70	6	1200	CU	75	080	4
13	070	13	10	BKN	2994	75	70	7	1000	CU	75	075	4
14	070	12	10	BKN	2994	75	70	8	1000	CU	75	075	4
15	070	14	10	BKN	2994	74	70	8	1000	SC	75	075	4
16	090	16	10	SCT	2994	74	68	5	2100	SC	77	090	5
17	090	16	10	SCT	2994	74	68	5	2100	SC	78	090	5
18	090	18	10	SCT	2994	73	68	5	2100	SC	75	090	4
19	090	17	9	BKN	2998	73	67	6	2100	SC	75	090	7
20	080	17	9	BKN	2999	72	67	6	1500	SC	79	085	7
21	085	13	9	BKN	2999	72	67	6	1500	SC	79	085	8
22	085	15	9	BKN	2999	72	66	8	1500	SC	80	085	8
23	085	16	9	SCT	2998	72	67	4	1500	SC	80	085	8
24													

POSITION	ZONE	TIME
0800		
L 34-52.5N	BY	1-2
λ 144-05E	BY	1-2
1200		
L 34-42.2N	BY	1
λ 145-13.5	BY	1
2000		
L 34-44N	BY	1
λ 147-02.7E	BY	1

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 269.0

FUEL CONSUMED 0000-2400: 1881

REMARKS

00-04 Steaming independently enroute from Yokosuka Japan to Pearl Harbor Hawaii in accordance with Com Seventh Flt. first Quarter 1964 operation schedule. Base Course 088° Base speed 11.5 kts. Material condition Yoke, Readiness condition II, Engineering Condition III and Damage Control Condition IV Set.

H C Stanton
LTJG USN.

04-08 UNDER WAY AS BEFORE 0745 TESTED SHIPS WHISTLE SIREN GENERAL CHEMICAL AND STEERING ALARMS; TEST: SATISFACTORY

F J A DeLorme BMCA USN

APPROVED: C C Reed LT. U.S.N. COMMANDING

EXAMINED: R S Mason, Jr. U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 SUNDAY (Day) 15 (Date) SEPTEMBER (Month) 1963

Ø8-12 UNDERWAY AS BEFORE. Ø8ØØ C/C TO Ø89. Ø8ØØ MUSTERED THE CREW ON STATIONS, ABSENTEES: NONE. Ø82Ø MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL.

J.L. Hollis QMD 2, USN

12-16 underway as before

C.E. Mann BM1 USN

16-18 UNDERWAY AS BEFORE

L.E. Horton
ATJG USN

18-20 UNDER WAY AS BEFORE

J.R. DeLorme BMCA USN

2Ø-24 UNDERWAY AS BEFORE. 212Ø EXCHANGED CALL SIGNS WITH U.S. MERCHANTMAN SS C.E. DANT AT CPA 17Ø° DISTANCE 29ØØ YARDS.

J.L. Hollis, QMD 2, USN

APPROVED: C Reed Lt. U. S. N. COMMANDING

EXAMINED: D D Mason, Jr. U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI ATF 96 ZONE DESCRIPTION -9 DATE MONDAY (Day) 16 (Date) SEPTEMBER (Month) 1963

AT/PASSAGE FROM YOKOSUKA JAPAN TO PEARL HARBOR, HAWAII

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	085	15	8	ScT	2998	72	67	4	1750	SC	80	085	6
02	085	13	8	ScT	2998	72	67	3	1750	SC	80	080	4
03	085	12	8	ScT	2997	71	66	3	1750	SC	80	080	4
04	075	16	10	ScT	3000	72	66	1	2100	CU	80	080	5
05	075	7	10	ScT	3000	72	66	5	2100	AC/CU	80	080	4
06	085	10	10	BKN	3001	73	67	7	2100	AC/CU	80	090	4
07	085	8	10	BKN	3002	74	68	8	2100	AC/CU	80	090	4
08	095	16	10	BKN	2998	74	68	8	2100	AC/CU	80	095	4
09	095	16	10	BKN	2998	75	69	8	2100	CI/CU	80	095	4
10	025	19	10	BKN	2998	75	70	8	1750	CI/CU	80	095	4
11	020	16	10	BKN	2996	76	70	8	2100	AC	80	095	4
12	120	19	10	BKN	2995	76	69	8	2400	AC	80	090	4
13	125	24	10	BKN	2993	76	69	8	2400	AC	80	090	4
14	125	24	10	BKN	2991	76	69	7	2400	AC	80	090	4
15	130	18	10	BKN	2991	76	69	7	2400	AC	80	090	4
16	140	18	10	BKN	2990	76	69	8	2400	AC/CU	80	090	4
17	140	21	10	BKN	2989	75	68	8	2400	AC/CU	80	090	4
18	140	20	10	BKN	2993	75	70	9	1750	AC/CU	80	130	3
19	130	26	10	BKN	2992	74	70	9	1400	AC/CU	80	120	5
20	100	26	10	BKN	2988	75	70	9	1750	AC/CU	80	120	10
21	130	28	10	BKN	2988	75	72	9	1000	AC/CU	80	120	10
22	130	27	10	BKN	2986	75	72	9	1000	AC/CU	80	120	10
23	135	26	10	BKN	2984	74	70	9	1400	AC/CU	80	120	10
24	120	23	10	BKN	2984	74	70	9	1400	AC/CU	80	120	12

POSITION	ZONE	TIME
0800 L 34-50N	BY 1	
λ 149-20.8E	BY 1	
1200 L 34-52.3E	BY 1	
λ 150-11.4E	BY 1	
2000 L 34-48 N	BY 1+2	
λ 151-47.8E	BY 1+2	

LEGEND: 1—CELESTIAL 2—ELECTRONIC 3—VISUAL 4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 235.4

FUEL CONSUMED 0000-2400: 1940

REMARKS

00-04 Steaming independently enroot from Yokosuka Japan to Pearl Harbor, Hawaii IAW com seventh FLT. first Quarter 1964 operation schedule. Base course 089° Base speed 11.3 KTS material condition yoke (modified) is set. Readiness condition V Eng condition III D.C. condition III. all running lights are bright. 0001 advanced all clocks one (1) hour to confirm with -10K time zone

CE Man BM, USN

04-08 Underway As Before.

LE Horton
LTJG U.S.N.

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R S Nason, Stgg U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF96) MONDAY (Day) 16 (Date) SEPT. (Month), 19 63

08-12 UNDERWAY AS BEFORE 0800 MUSTERED CREW ON STATIONS; ABSENTEE'S: NONE 0915 MADE DAILY INSPECTION OF MAGAZINE AND SMOKELESS POWDER SAMPLES; CONDITION: NORMAL

[signature] BMCA USN

12-16 UNDERWAY AS BEFORE. 1438 C/L TO Ø94.

J.C. Hollis. CWO 3, USN

16-18 underway as before

C.E. Mann BM1 USN.

18-20 Underway As Before. 1900 Exchanged Calls signs with Greek Merchant Ship ATLANTIC GUARDIAN enroute San Pedro to Nagoya Japan.

[signature]
LTJG USN

20-24 UNDERWAY AS BEFORE 2015 C/S 12.8 KTS. 2220 C/S 12.3 KTS. 2340 C/S 11.3 KTS

[signature] BMCA USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: D S Mason, Ltjg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION -10K DATE TUESDAY (Day) 17 (Date) SEPTEMBER (Month), 1963

AT/PASSAGE FROM YOKOSUKA, JAPAN ~~TO~~ TO PEARL HARBOR, HAWAII

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	130	25	8	BKN	2985	73	69	7	1400	CU	80	120	12
02													
03	125	21	8	BKN	2983	73	70	7	1000	CU	80	120	10
04	125	21	8	BKN	2982	73	70	8	1000	CU	80	120	9
05	130	22	8	BKN	2981	73	70	8	1000	CU	80	120	8
06	130	24	8	BKN	2980	73	70	8	1000	CU	80	120	8
07	135	24	8	BKN	2983	75	71	9	1400	CU	80	130	7
08	135	24	8	BKN	2983	75	71	9	1400	Sc	80	130	7
09	135	26	8	OVC	2982	75	72	10	1000	Sc	80	130	7
10	130	20	8	BKN	2983	76	73	9	1000	Sc	80	130	7
11	135	23	8	BKN	2981	76	73	8	1000	Sc	81	130	7
12	155	20	8	BKN	2978	76	75	8	400	Sc	80	130	7
13	155	20	10	BKN	2976	77	76	8	400	Sc	80	130	7
14	155	20	10	BKN	2974	77	74	8	1000	Sc	80	120	7
15	155	27	8	BKN	2970	78	75	8	3000	Sc	80	120	7
16	160	26	6	OVC	2971	77	76	10	400	Sc	80	120	7
17	150	23	8	OVC	2971	77	76	10	400	Sc	80	120	7
18	150	20	8	BKN	2972	76	75	9	400	Sc	80	120	6
19	150	21	8	BKN	2972	76	75	9	400	Sc	80	120	6
20	155	15	8	BKN	2975	76	75	9	400	Sc	80	130	6
21	135	15	4	OVC	2975	76	75	10	400	ST	80	130	7
22	—	—	8	R	2976	77	76	10	400	ST	80	140	7
23	160	20	5	F	2976	78	77	10	400	ST	80	140	7
24	160	17	6	OVC	2970	78	77	10	400	ST	80	140	7

POSITION	ZONE	TIME
0800		
L 34-47 N	BY	4
λ 154-01E	BY	4
1200		
L 34-37.7N	BY	1
λ 155-38E	BY	1
2000		
L 34-28N	BY	4
λ 157-37E	BY	4

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 256.0

FUEL CONSUMED 0000-2400: 1973

REMARKS

ØØ-Ø4 STEAMING INDEPENDENTLY ENROUTE FROM YOKOSUKA, JAPAN TO PEARL HARBOR, HAWAII IAW COMSEVENTHFLT FIRST QUARTER FY 1964 OPERATION SCHEDULE. BASE COURSE Ø94° BASE SPEED 11.3 KTS. MATERIAL CONDITION YOKE (MODIFIED), READINESS CONDITION V, ENGINEERING CONDITION III, AND DAMAGE CONTROL CONDITION III IS SET. Ø2ØØ ADVANCED ALL CLOCKS ONE (1) HOUR TO CONFORM WITH -11L TIME ZONE.

J. L. Hollis, CWO 2, USN

Ø4-Ø8 underway as before 0747 tested ships whistle siren general, chemical and steering alarm

C. E. Mason BM1 USN

APPROVED: C. C. Reed LT. U. S. N. COMMANDING

EXAMINED: R. D. Mason, Stg'd U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 TUESDAY (Day) 17 (Date) SEPTEMBER (Month) 19 63

Ø8-12 UNDERWAY AS BEFORE Ø8ØØ MUSTERED CREW ON STATIONS ABSENTEES: NONE Ø8Ø9 C/S 5.7 KTS C/C 125° Ø813 C/S 3.2 KTS ~~Ø823~~ Ø826 C/C Ø94° C/S 11.3 KTS. MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES: CONDITIONS NORMAL 1028 C/S 12.3 KTS 1128 C/S 12.8 KTS

J E Horton
ATC USN

12-16 UNDER WAY AS BEFORE 1330 C/C 098°T 1453 C/C 185°T 14-54 C/C 098°T

F M DeLorme BMCH USN

~~16-18~~

16-18 UNDERWAY AS BEFORE.

J.L. Hollis, CWO 2 USN

18-20 underway as before

C.E. Man BM1 USN

20-24 Underway As Before

J E Horton
ATC USN.

APPROVED: C C Reed LT U. S. N. COMMANDING

EXAMINED: R S Nasen, Lt(jg) U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF96) ZONE DESCRIPTION -11L DATE WEDNESDAY (Day) 18 (Date) SEPT. (Month), 19 63

AT/PASSAGE FROM YOKOSUKA JAPAN TO PEARL HARBOR HAWAII

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	160	17	5	OVC	2970	77	75	10	1000	ST	80	140	7
02	190	23	5	OVC	2970	78	75	10	1000	ST	80	140	7
03	180	12	5	OVC	2969	78	75	10	1000	ST	80	140	7
04	170	16	6	OVC	2969	77	74	10	1000	ST	80	140	7
05	170	15	10	BKN	2972	77	74	9	1000	ST	80	140	6
06	200	16	10	BKN	2975	78	75	9	1000	ST	80	170	6
07	200	16	10	BKN	2975	78	75	9	1000	ST	80	170	6
08	200	16	10	BKN	2976	80	77	9	1000	ST	80	180	5
09	205	15	10	BKN	2978	80	78	9	800	ST	80	190	5
10	195	15	10	BKN	2980	81	79	8	800	ST	80	190	3
11	200	14	10	BKN	2981	82	80	6	800	CU	80	190	3
12	200	15	10	SCT	2981	82	80	4	800	CU	80	200	4
13	210	17	10	SCT	2982	82	80	3	800	CU	80	200	4
14	210	17	10	SCT	2983	82	80	3	800	CU	80	200	4
15	210	17	8	H	2985	82	80	5	800	AC	80	200	4
16	215	18	8	H	2985	82	80	5	800	AC	80	200	4
17	215	18	8	H	2986	80	78	5	800	AC	80	200	4
18	200	17	8	H	2988	80	78	5	800	AC	80	200	4
19	205	19	8	SCT	2990	79	77	2	800	AC	80	200	4
20	205	18	8	SCT	2994	79	77	2	800	AC	80	200	4
21	210	17	8	SCT	2996	79	75	2	1400	AC	80	200	3
22	210	17	8	SCT	2998	79	75	3	1400	AC	80	200	3
23	210	15	8	SCT	3000	79	75	3	1400	AC	80	200	3
24	215	14	8	SCT	3001	80	79	3	400	SC	80	200	4

POSITION	ZONE	TIME
0800 L	34-07.5N	BY 4
λ	160-29E	BY 4
1200 L	34-07 N	BY 1
λ	161-33 E	BY 1
2000 L	33-43 N	BY 1
λ	163-49E	BY 1

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 304.0

FUEL CONSUMED 0000-2400: 315.1

REMARKS

00-04 STEAMING INDEPENDENTLY ENROUTE FROM YOKOSUKA, JAPAN TO PEARL HARBOR, HAWAII IN ACCORDANCE WITH COM SEVENTH FLT. FIRST QUARTER F.Y. 1964 OPERATION ORDER. BASE COURSE 098°T BASE SPEED 12.8 KTS. MATERIAL CONDITION YOKE (MODIFIED) READINESS CONDITION II ENGINEERING CONDITION III DAMAGE CONTROL CONDITION III ARE SET 0045 C/S 12.3 KTS.

J.M. DeTomme BMCA USN

04-08 UNDERWAY AS BEFORE. 0631 C/S 12.8 KTS. 0745 TESTED SHIPS WHISTLE, SIREN, GENERAL, CHEMICAL, AND STEERING EMERGENCY ALARMS. TEST SATISFACTORY.

R.O. Hollis LCDR USN

APPROVED: C.C. Reed Lt. U. S. N. COMMANDING

EXAMINED: R.D. Mason, Stjg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 WEDNESDAY (Day) 18 (Date) SEPT (Month), 19 63

Ø8-12 underway as before Ø8ØØ mustered crew on stations absentees none Ø9ØØ made daily inpection of magazines and smokless powder samples condition normal

C E Mann BM1 USN

12-16 Underway As Before.

JE Hunter
LTJG USN.

16-18 UNDER WAY AS BEFORE

J F Osborne BMCA USN

18-2Ø UNDERWAY AS BEFORE.

J.D. Hollis. CWO2 USN

2Ø-24 underway as before

C E. Mann BM1 USN

APPROVED: C C Reed LT. U. S. N. COMMANDING

EXAMINED: R S Nasen, Lyg. U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION -11 DATE THURSDAY (Day) 19 (Date) SEPTEMBER (Month), 19 63

AT/PASSAGE FROM YOKOSUKA JAPAN TO PEARL HARBOR HAWAII

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	215°	14	10	SCT	30.02	80	79	3	400	SC	80	215°	4
02	215°	14	10	CLR	30.03	80	79	—	—	—	80	215°	4
03	220	13	10	CLR	30.03	80	79	—	—	—	80	215°	4
04	235	13	10	CLR	30.03	80	79	—	—	—	80	215°	4
05	220	13	10	SCT	30.03	80	79	5°	400	ST	80	215°	4
06	225°	11	10	BKN	30.03	80	79	6	400	ST	80	215°	4
07	220	15°	10	SCT	30.09	80	79	5°	400	ST	80	230	4
08	225°	10	10	SCT	30.08	80	79	4	400	ST	80	230	3
09	190	12	10	SCT	30.09	81	80	4	400	ST	80	220	3
10	190	12	10	SCT	30.10	82	81	4	400	ST	80	220	3
11	205°	14	10	SCT	30.10	83	81	4	800	ST	80	220	3
12	205°	8	10	SCT	30.10	84	81	5°	1000	CU	80	220	3
13	205°	8	10	SCT	30.10	85°	82	5°	1000	CU	80	220	3
14	205°	8	10	SCT	30.10	86	83	5°	1000	CU	80	220	3
15	210	8	10	BKN	30.11	86	83	6	1000	CU	80	230	3
16	205°	7	10	BKN	30.15	84	83	6	400	CU	80	210	2
17	200	6	10	BKN	30.16	84	82	6	400	CU	80	210	2
18	180	7	10	BKN	30.15	82	81	6	400	CU	80	280	2
19	180	7	10	BKN	30.16	82	81	6	400	CU	80	210	2
20	185°	8	10	BKN	30.18	82	81	6	400	CU	80	200	2
21	145°	7	10	BKN	30.18	80	79	6	400	CU	80	200	2
22	150	11	10	BKN	30.18	80	79	6	400	CU	80	200	2
23	145°	6	10	BKN	30.17	80	79	6	400	CU	80	200	2
24	140	6	10	BKN	30.17	80	79	6	400	CU	80	200	2

POSITION	ZONE	TIME
0800 L	33-12 N	BY 1
λ	167-01 E	BY 1
1200 L	33-04 N	BY 1
λ	167-42 E	BY 1
2000 L	32-42 N	BY 1
λ	170-05.7 E	BY 1

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 317.0

FUEL CONSUMED 0000-2400: 2519

REMARKS

04-04 STEAMING INDEPENDENTLY ENROUTE FROM YOKOSUKA JAPAN TO PEARL HARBOR, HAWAII IN ACCORDANCE WITH COM SEVENTH FLT FIRST QUARTER FISCAL YEAR 1964 OPERATION SCHEDULE. BASE COURSE 102° BASE SPEED 12.8 KTS. MATERIAL CONDITION YOKE MODIFIED, READINESS CONDITION V ENGINEERING III, AND DAMAGE CONTROL CONDITION III ARE SET

J E Horton
LTJG USN

04-08 UNDER WAY AS BEFORE 0745 TESTED SHIP'S WHISTLE SIREN GENERAL CHEMICAL AND STEERING ALARMS, TEST SATISFACTORY

F M DeJoseph BMCA USN

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R D Mason, Stjg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 THURSDAY (Day) 19 (Date) SEPTEMBER (Month) 1963

Ø8-12 UNDERWAY AS BEFORE. ØBØØ MUSTERED CREW ON STATIONS. ABSENTEES: NONE. Ø9ØØ THE COMMANDING OFFICER HELD MAST AND IMPOSED NON-JUDICIAL PUNISHMENT AS FOLLOWS: RICHARDSON, D.G., 353-64-77, SN, USN OFFENSE: ART 86 UNAUTHORIZED ABSENCE. PUNISHMENT: CONFINEMENT ON BREAD AND WATER FOR THREE (3) DAYS.* TO BE EXECUTED ON ARRIVAL PEARL HARBOR, HAWAII. Ø955 MADE DAILY INSPECTION OF MAGAZINES AND SMORELESS POWDER SAMPLES. CONDITIONS: NORMAL. CONDUCTED WEEKLY MAGAZINE SPRINKLING SYSTEM TEST. TEST SATISFACTORY.
*SUSPENDED FOR THREE MONTHS.
C. P. McKenzie, ENS, USNR

12-16 underway as before
CE Mar BM1 USN

16-18 Underway As Before 1720 Exchanged call signs with SS. EMPOROS ENROUTE FROM PANAMA TO OSAKA, JAPAN
LE Horton
LTJG USN.

18-2Ø UNDERWAY AS BEFORE.
C. P. McKenzie, ENS, USNR

20-24 Underway as before; 2003 c/c 105°;
J. L. Hollis, CWO 2, USN

APPROVED: _____ U. S. N. COMMANDING

EXAMINED: _____ U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION -11 DATE FRIDAY (Day) 20 (Date) SEPTEMBER (Month), 1963

AT/PASSAGE FROM YOKOSUKA JAPAN TO PEARL HARBOR, HAWAII

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	140	6	10	SCT	3016	80	77	4	1000	ST	80	200	2
02	150	5	10	SCT	3015	80	77	3	1000	ST	80	200	2
03	150	5	10	SCT	3014	80	77	3	1100	ST	80	200	1
04	130	7	10	SCT	3016	79	76	2	1000	SC	80	CALM	
05	105	8	10	SCT	3018	79	75	3	1400	SC	80	CALM	
06	105	8	10	SCT	3019	80	76	3	1400	SC	80	CALM	
07	105	8	10	SCT	3020	80	76	5	1400	SC	80	CALM	
08	105	8	10	SCT	3020	81	77	5	1400	SC	80	CALM	
09	105	8	10	SCT	3020	81	77	5	1400	SC	80	CALM	
10	105	17	10	SCT	3020	81	77	3	1400	SC	80	CALM	
11	105	17	10	SCT	3020	81	77	3	1400	SC	80	CALM	
12	110	11	10	SCT	3020	82	78	3	1400	SC	80	120	1
13	110	11	10	SCT	3019	81	77	3	1400	SC	80	120	1
14	110	5	10	SCT	3018	82	78	5	1400	SC	80	115	1
15	110	13	10	SCT	3018	82	78	5	1400	SC	80	115	1
16	110	13	10	BKN	3016	82	78	6	1400	SC	80	115	2
17	110	12	10	BKN	3015	81	77	6	1400	ST	80	110	2
18	110	13	10	BKN	3018	81	77	6	1400	CU	80	110	1
19	110	13	10	SCT	3020	81	77	4	1400	CU	80	110	1
20	105	12	10	SCT	3020	79	75	2	1400	CU	80	110	1
21	105	12	10	SCT	3020	79	75	2	1400	CU	80	110	1
22	105	12	10	SCT	3020	79	75	2	1400	CU	80	110	1
23	105	12	10	SCT	3020	79	75	2	1400	CU	80	110	1
24	105	22	10	SCT	3019	79	75	2	1400	CU	80	110	1

POSITION	ZONE	TIME
0800 L 31-41.5N	BY 1	
λ 173-01.3E	BY 1	
1200 L 31-35N	BY 1	
λ 174-10E	BY 1	
2000 L 31-14 N	BY 1	
λ 176-08.3E	BY 1	

LEGEND: 1—CELESTIAL 2—ELECTRONIC 3—VISUAL 4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 312.9

FUEL CONSUMED 0000-2400: 2793

REMARKS

00-04 Steaming independently from Yokosuka Japan to Pearl Harbor Hawaii, in accordance with Com Seventh Flt Quarterly Operation schedule. Base course 105, base speed 12.8 kts. Material Condition Yoke modified is set, Readiness condition V, Engineering condition III and Damage control condition III are set.

Wm Turner Ens USNR

04-08 Underway As Before.

LE Horton
LTTC USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R S Nason, Stjg U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF 96 FRIDAY (Day) 20 (Date) SEPTEMBER (Month) 19 63

Ø8-12 UNDERWAY AS BEFORE. Ø8ØØ C/C TO 1Ø2. MUSTERED CREW ON STATIONS. ABSENTEES: NONE. Ø817 COMMENCED BUILDUP FOR FULL POWER RUN. Ø835 C/S TO 14.3 KTS. Ø85Ø SET MATERIAL CONDITION ZEBRA IN ENGINEERING SPACES. ~~Ø9Ø2~~ Ø9ØØ COMMENCED FULL POWER TRIAL Z-110-1 CPM Ø9Ø2 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS: NORMAL.

Christopher P. McKenzie, ENS, USNR

12-16 underway as before 1301 non competive full power run completed C/S to ~~110 RPM~~ 13.3 KTS 330 CPM C/S to ~~100~~ 12.3 KTS 1400 commenced commanding officers material inspection 1505 secured from commanding officers material inspection

C.E. Mann BM1 USN

16-18 Underway as before

Jim Turner Ens USNR

18-20 Underway As Before

L.E. Horton
LTJG USN

2Ø-24 UNDERWAY AS BEFORE. 2ØØØ C/C TO 1Ø5.

C.P. McKenzie, ENS, USNR

APPROVED: C C Reed Lt U.S.N. COMMANDING

EXAMINED: R S Nason, Ltjg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION -11 L DATE Saturday (Day) 21 (Date) September (Month), 1963

AT/PASSAGE FROM Yokosuka, Japan TO Pearl Harbor, Hawaii

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	105	14	6	R	3018	78	74	8	1200	SC	80	110	1
02													
03	105	13	10	BKN	3018	78	74	8	1200	SC	80	110	1
04	110	13	10	BKN	3015	78	74	8	1200	SC	80	110	1
05	110	14	10	BKN	3015	79	75	4	1200	SC	80	105	2
06	105	14	10	BKN	3015	79	76	6	1000	ST	80	100	2
07	105	14	10	BKN	3016	80	77	6	1000	ST	80	100	2
08	105	15	10	BKN	3018	80	78	6	800	CU	80	100	2
09	105	17	10	BKN	3020	80	78	7	800	CU	80	100	2
10	105	15	15	SCT	3021	81	79	4	800	CU	80	100	3
11	105	13	15	BKN	3020	82	80	6	800	CU	80	100	3
12	105	13	15	BKN	3017	82	80	6	800	CU	80	100	3
13	105	15	15	BKN	3016	82	78	6	1400	CU	80	100	3
14	105	15	15	BKN	3016	82	78	6	1400	CU	80	100	3
15	070	15	15	BKN	3016	82	79	6	1000	CU	80	100	3
16	070	15	10	BKN	3018	82	80	8	800	CU	80	100	3
17	110	15	10	BKN	3019	79	77	8	800	CU	80	100	3
18	110	15	10	BKN	3017	79	77	8	800	CU	80	100	3
19	110	15	9	BKN	3018	79	76	7	1000	CU	80	100	3
20	110	15	10	SCT	3019	81	78	4	1000	CU	80	100	3
21	110	15	10	SCT	3021	82	79	4	1000	CU	80	100	3
22	110	15	10	SCT	3020	82	79	4	1000	CU	80	100	3
23	110	16	10	SCT	3019	80	77	1	1000	CU	80	100	3
24	110	16	10	SCT	3019	80	77	1	1000	CU	80	100	3

POSITION	ZONE	TIME
0800 L 30-31.5N	BY	1
λ 178-28E	BY	1
1200 L 30-29.1 N	BY	1
λ 179-12.7E	BY	1
2000 L 29-55 N	BY	1
λ 178-48E	BY	1

LEGEND: 1—CELESTIAL 2—ELECTRONIC 3—VISUAL 4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 286.5

FUEL CONSUMED 0000-2400: 2365

REMARKS

00-04 Steaming independantly enroute from Yokosuka, Japan to Pearl Harbor, Hawaii, in accordance with Com-Seventh Flt. First Quarter FY 1964 operation schedule. Base course 105°, speed 12.3 kts. Material condition yoke (modified) set. Readiness condition V, Engineering condition III and damage control condition ~~III~~ set. 0200 advanced all clocks one (1) hour to conform to -12-m time zone.

J. L. Hollis, CWO2, USN

04-08 Underway as before. 0745 Tested ships whistle, siren, General chemical and steering emergency alarm.

[illegible] Ens USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R D Nason, Lt. U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF 96 SATURDAY (Day) 21 (Date) SEPT. (Month), 19 63

ØØ-12 UNDERWAY AS BEFORE ØØØØ MUSTERED CREW ON STATIONS: ABSENTEES NONE. Ø93Ø MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES: CONDITION NORMAL.

J E Horton
LT JG USN

12-16 UNDERWAY AS BEFORE 1230 C/S TO 12.8 KTS

C. P. McPeepie, ENS, USNR

16-18 UNDERWAY AS BEFORE 1644 C/S 13.3 KTS

Jul. Hollis, CWO2, USN

18-20 UNDERWAY AS BEFORE

LE Horton
LTJG USN

20-24 UNDERWAY AS BEFORE 2114 C/C 189° PGC

LE Horton
LTJG USN

APPROVED: C Reed Lt. U.S.N. COMMANDING

EXAMINED: R D Nason Lt. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY
NAVY-DPPO-12ND-MI

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF 96 ZONE DESCRIPTION +12Y DATE SATURDAY 21 SEPT (Day) (Date) (Month), 19 63

AT/PASSAGE FROM YOKOSUKA JAPAN TO PEARL HARBOR HAWAII

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	070	15	10	SCT	3019	80	78	4	800	CU	82	100	3
02	070	15	10	SCT	3016	80	78	1	800	CU	82	100	3
03	070	16	10	SCT	3016	80	78	1	800	CU	82	100	3
04	080	14	10	SCT	3017	80	78	1	800	CU	80	100	2
05	095	12	10	SCT	3017	80	78	1	800	CU	80	100	2
06	085	9	10	SCT	3018	80	78	1	800	CU	80	100	2
07	090	9	10	SCT	3017	80	79	1	400	CU	82	100	2
08	085	9	10	SCT	3016	81	79	4	800	CU	80	100	2
09	085	9	10	SCT	3016	81	79	4	800	CU	80	100	2
10	090	8	10	SCT	3015	82	80	5	800	CU	80	100	1
11	090	7	10	BKN	3014	82	80	6	800	CU	80	100	1
12	105	1	10	SCT	3016	82	80	3	800	CU	80	100	1
13	060	3	10	SCT	3015	84	80	3	1400	CU	82	060	1
14	005	5	10	SCT	3013	85	80	3	1750	CU	82	040	1
15	000	6	10	SCT	3012	85	80	4	1750	Sc	82	000	1
16	080	7	10	SCT	3012	85	80	4	1750	Sc	82	000	1
17	090	7	10	SCT	3012	85	81	4	1400	Sc	82	000	1
18	080	6	10	SCT	3013	84	80	4	1400	Sc	82	005	1
19	090	6	10	SCT	3013	81	80	4	400	Sc	82	005	1
20	090	6	10	SCT	3012	81	80	4	400	Sc	82	005	1
21	090	6	10	SCT	3011	80	79	5	400	Sc	82	005	1
22	095	8	10	BKN	3011	80	79	7	400	Sc	82	010	2
23	095	10	10	BKN	3010	80	79	8	400	Sc	82	010	2
24	055	7	10	BKN	3010	83	82	6	400	Sc	82	010	2

POSITION	ZONE	TIME
0800		
L 29-07 N	BY	1
λ 175-56.8 E	BY	1
1200		
L 29-47 N	BY	1
λ 175-00 W	BY	1
2000		
L 28-03 N	BY	1
λ 172-55.5 W	BY	1

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 332.0

FUEL CONSUMED 0000-2400: 3460

REMARKS

ØØ-Ø4 STEAMING INDEPENDENTLY ENROUTE FROM YOKOSUKA, JAPAN TO PEARL HARBOR HAWAII IN ACCORDANCE WITH COM SEVENTH FLT FIRST QUARTER F.Y 1964 OPERATION SCHEDULE BASE COURSE 109° PGC SPEED 13.3 KTS MATERIAL CONDITION YOKE (MODIFIED) READINESS CONDITION II, ENGINEERING CONDITION III AND DAMAGE CONTROL CONDITION III ARE SET. ØØØØ RETARDED ALL CLOCKS 24 HOURS TO CONFORM WITH +12Y TIME ZONE.

C.P. McKenzie, ENS, USNR

Ø4-Ø8 UNDERWAY AS BEFORE: 0745 TESTED SHIPS WHISTLE, SIREN, GENERAL CHEMICAL AND STEERING EMERGENCY ALARMS, TEST SATISFACTORY

J.L. Hollis, CWO 2, USN

APPROVED: C C Reed LtCdr U.S.N. COMMANDING

EXAMINED: R S Moser, Jr Lt U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF 96 SATURDAY (Day) 21 (Date) SEPT (Month), 19 63

Ø8-12 UNDERWAY AS BEFORE Ø8ØØ C/C TO 112° C/S TO 13.8 KTS

R S Mason, Stgy, USNR

12-16 UNDERWAY AS BEFORE 145Ø C/S TO 13.3 KTS 1517 C/S TO 13.8 KTS

L E Horton
FTTG USN.

16-18 UNDERWAY AS BEFORE.

C. P. McKenzie, ENS, USNR

18-2Ø UNDERWAY AS BEFORE

Jul. Hollis, CWO,2-USN

2Ø-24 UNDERWAY AS BEFORE

R S Mason, Stgy, USNR

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R S Mason, Stgy U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI ATF 96 ZONE DESCRIPTION +12 DATE SUNDAY (Day) 22 (Date) SEPT (Month), 1963

AT/PASSAGE FROM YOKOSUKA JAPAN TO PEARL HARBOR HAWAII

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	005	5	10	SCT	3011	86	84	4	800	SC	82	000	2
02													
03	000	5	10	SCT	3008	86	84	4	800	SC	82	000	2
04	085	9	10	SCT	3008	84	79	4	1750	SC	82	000	2
05	045	9	10	BKN	3008	81	78	8	1000	SC	82	000	1
06	060	12	10	BKN	3008	79	78	8	400	SC	82	000	1
07	060	12	10	BKN	3008	80	79	8	400	SC	82	000	1
08	070	14	10	BKN	3010 ~~3008~~	81	80	8	400	SC	82	000	1
09	075	15	10	BKN	3010	81	80	8	400	SC	82	000	1
10	080	14	10	BKN	3010	81	80	8	400	SC	80	000	1
11	090	11	10	BKN	3010	81	80	8	400	SC	80	000	1
12	080	12	10	BKN	3006	81	80	8	400	SC	80	010	2
13	075	12	10	BKN	3004	81	80	8	400	SC	80	010	2
14	075	12	10	BKN	3002	80	79	9	400	ST	80	010	2
15	075	12	10	BKN	3001	80	79	8	400	ST	80	005	2
16	070	13	10	L	3002	80	79	7	400	ST	80	060	2
17	090	10	10	L	3003	80	78	10	800	ST	80	090	1
18	080	16	10	L	3003	80	78	10	800	ST	80	090	1
19	070	14	10	SCT	~~3003~~ 3005	80	77	5	1000	CU	80	090	1
20	065	15	10	SCT	3004	80	77	5	1000	CU	80	090	1
21	070	17	10	SCT	3005	80	77	5	1000	CU	82	090	1
22	060	14	10	SCT	3004	79	77	5	800	CU	82	090	1
23	075	12	10	SCT	3004 ~~0304~~	79	77	5	800	CU	82	090	1
24	075	11	10	SCT	3002	79	77	5	800	CU	82	090	2

POSITION	ZONE	TIME
0800		
L 26-59N	BY	1+2
λ 170-02W	BY	1+2
1200		
L 26-37.3N	BY	1
λ 169-23.5W	BY	1
2000		
L 26-00 N	BY	1
λ 167-31.3W	BY	1

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 331.5'

FUEL CONSUMED 0000-2400: 3245'

REMARKS

ØØ-Ø4 STEAMING INDEPENDENTLY ENROUTE FROM YOKOSUKA, JAPAN TO PEARL HARBOR HAWAII IN ACCORDANCE WITH COM SEVENTH FLT FIRST QUARTER FISCAL YEAR 1964 OPERATIONS SCHEDULE. BASE COURSE 112° BASE SPEED 13.8 KTS. MATERIAL CONDITION YOKE MODIFIED READINESS CONDITION V ENGINEERING AND DAMAGE CONTROL CONDITION III SET. Ø2ØØ ADVANCED ALL CLOCKS ONE HOUR TO CONFORM WITH +11 TIME ZONE.

R. E. Horton
ETIG USN

Ø4-Ø8 UNDERWAY AS BEFORE TESTED SHIPS WHISTLE SIREN GENERAL CHEMICAL AND STEERING EMERGENCY ALARMS TEST SATISFACTORY.

C. P. McKenzie, ENS, USNR

APPROVED: C C Reed LT U. S. N. COMMANDING

EXAMINED: R D Mason, Sltg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SUNDAY (Day) 22 (Date) SEPTEMBER (Month) 1963

08-12 Underway as before. 0800 mustered the crew on Stations. absentees: none. 0801 C/S 13.3 Kts. 0850 C/S 13.8 Kts.

J.C. Hollis, CWO-2-USN

12-16 Underway as before. RS Nason, Sljg, USNR

16-18 Underway As Before.

L E Horton
LTJG USN

18-20 UNDERWAY AS BEFORE

C.P. McKenzie, ENS, USNR.

20-24 Underway as before: 2001 C/C 114°; 2035 observed satilite type object bearing 000 approximate altitude 40°. Bright as a first magnitude star, appeared to be traveling in a West to ~~Nor~~ East, North East direction. Mdl. disappeared behind clouds at 2041. No further sight.

J.C. Hollis, CWO2
USN

APPROVED: C C Reed Lt U.S.N. COMMANDING

EXAMINED: R S Nason, Sljg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U.S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION _____ DATE Monday (Day) 23 (Date) September (Month), 1963

AT/PASSAGE FROM Yokosuka Japan TO Pearl Harbor Hawaii

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	080	13	10	SCT	3001	79	78	5	400	CU	82	085	2
02	080	14	10	SCT	3000	79	78	5	400	CU	82	085	2
03	090	14	10	SCT	2999	78	77	5	400	CU	82	080	2
04	030	19	10	BKN	3001	79	76	7	1000	AC/ST	82	050	2
05	050	16	10	SCT	3002	79	76	5	1000	SC	82	050	2
06	070	12	10	SCT	3002	80	76	2	1400	SC	82	040	2
07	075	13	10	SCT	3002	80	77	5	1000	AC/ST	82	060	2
08	055	13	10	BKN	3002	80	77	6	1000	AC/ST	82	060	4
09	060	16	10	SCT	3002	80	77	4	1000	AC/ST	82	060	4
10	060	16	10	SCT	3002	80	78	3	800	AC/ST	82	060	4
11	060	16	10	SCT	3002	81	77	3	1400	AC/ST	82	060	4
12	065	15	10	SCT	3002	81	78	3	1000	AC/ST	80	060	3
13	065	11	10	SCT	3001	81	78	3	1000	AC/ST	80	060	2
14	080	13	10	SCT	3000	80	78	3	800	AC/ST	80	060	2
15	065	12	10	SCT	2999	80	78	3	800	CU	82	030	2
16	060	12	10	BKN	2999	80	78	8	800	CU	82	030	2
17	060	12	10	BKN	2999	80	78	7	800	CU	82	030	2
18	060	9	10	SCT	2999	80	77	4	1000	ST	82	030	2
19	060	18	10	BKN	3000	78	77	7	400	ST	82	030	2
20	060	18	10	SCT	3000	79	77	3	400	ST	82	030	2
21	060	15	10	SCT	3000	79	77	3	400	ST	82	030	2
22	050	15	10	SCT	2999	79	77	3	400	ST	82	030	2
23	050	15	10	SCT	2999	79	77	3	400	ST	82	030	2
24	080	14	10	SCT	2999	79	77	3	400	ST	82	030	2

POSITION	ZONE	TIME
0800 L 24-41.1 N	BY	1
λ 164-37 W	BY	1
1200 L 24-25.5 N	BY	1
λ 164-06.5 W	BY	1
2000 L 23-36.8 N	BY	4
λ 162-20 W	BY	4

LEGEND: 1—CELESTIAL 2—ELECTRONIC 3—VISUAL 4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 336.5

FUEL CONSUMED 0000-2400: 3915

REMARKS

0004 Steaming Independly from Yokosuka Japan to Pearl Harbor Hawaii in accordance with Com Seventh Flt First Quarterly Ops schedule Fiscal year 1964. Base course 114° Base speed 13.8 kts Material condition Yoke modified is set. Readiness condition I Engineering condition III and damage control condition III are set.

[signature] Turner Ens USN

04-08 Underway As Before 0745 Muster crew at Quarters: Absentees None.

L E Horton
LTJG USN.

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R S Mason, Sljg U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Monday (Day) 23 (Date) September (Month) 19 62

0800-1200 Underway as before. 0820 Sighted vessel bearing 295° distance about 7 miles on approximately parallel course 083Ø Vessel identified as USS William Mitchell T-AP 114 0840 Exchanged call signs with USS William Mitchell. Call sign NKLW enroute from Yokohama to Japan to Pearl Harbor, Hawaii. 1pm 0900 Made daily inspection of Magazines and smokeless powder 1pm sampler. Conditions: Normal.

C. P. McKenzie, ENS USNR

1200-1600 Underway as before: 1237 Mann, BM1, has the Conn, 1403 OOD has the Conn.

J. L. Hollis, CWO 2, USN

1600-1800 Underway as before.

R D Mason Lt(jg), USNR

1800-2000 Underway As Before

L E Hunter
LTJG USN

2000-2400 UNDERWAY AS BEFORE 2220 C/C TO 070° 2225 C/C TO 100° 2235 C/C TO 108°

Chas D McKenzie, ENS, USNR.

APPROVED: C C Reed Lt U.S.N. COMMANDING

EXAMINED: R D Mason Lt(jg) U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY
NAVY-DPPO-12ND-M1

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF 96 ZONE DESCRIPTION +10W DATE WEDNESDAY (Day) 25 (Date) SEPT (Month), 19 63

AT/PASSAGE FROM PEARL HARBOR TO HAWAII

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	065	2	10	SCT	2991	76	75	4	400	CU			
02	065	2	10	SCT	2991	76	75	5	400	CU			
03	065	1	10	SCT	2992	76	75	5	400	CU			
04	065	1	10	SCT	2992	76	75	5	400	CU			
05	050	1	10	SCT	2993	78	77	5	400	CU			
06	050	3	10	SCT	2995	81	80	5	400	CU			
07	045	3	10	SCT	2996	83	82	4	400	CU			
08	045	4	10	BKN	2997	85	84	6	400	CU			
09	050	4	10	BKN	2996	86	84	6	800	CU			
10	055	5	10	BKN	2995	87	85	6	1000	CU			
11	060	6	10	BKN	2994	87	85	6	1000	CU			
12	065	6	10	BKN	2993	84	86	7	1000	CU			
13	070	8	10	BKN	2993	88	86	7	1000	CU			
14	070	8	10	BKN	2993	89	86	7	1000	CU			
15	075	9	10	BKN	2991	90	87	6	1000	CU			
16	080	10	10	BKN	2991	91	88	7	1000	CU			
17	085	10	10	SCT	2989	91	89	5	1000	CU			
18	085	12	10	SCT	2990	91	89	5	800	CU			
19	085	9	10	SCT	2990	89	87	5	800	CU			
20	090	9	10	SCT	2989	88	76	4	800	CU			
21	090	8	10	SCT	2989	86	84	4	800	CU			
22	100	7	10	SCT	2988	85	83	4	800	CU			
23	095	6	10	SCT	2989	84	82	4	800	CU			
24	100	6	10	SCT	2990	84	82	5	800	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 MOORED STARBOARD SIDE TO BERTH S-18 FORWARD U.S. NAVAL SUBMARINE BASE, PEARL HARBOR HAWAII USING STANDARD MOORING LINES DOUBLED. RECEIVING ELECTRICAL, FRESH WATER, AND TELEPHONE SERVICES FROM THE PIER. MATERIAL CONDITION YOKE (MODIFIED) IS SET. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS CINCPACFLT.

R S Mason, Flyg, USNR

04-08 MOORED AS BEFORE: 0745 MUSTERED THE CREW AT QUARTERS: ABSENTEES NOON.

R S Mason, Flyg USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R S Mason, Flyg U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) WENESDAY (Day) 25 (Date) SEPTEMBER (Month) 19 63

08-12 moored as before. 0825 made daily inspection of magazines and smokeless powder samples, Conditions; Normal.

J.L. Hollis. CWO 2, USN

12-16 moored as before.

J.L. Hollis. CWO 2, USN

16-20 moored as before: 1800 set condition Yoke (modified)

J.L. Hollis. CWO 2, USN

20-24 moored as before;

J.L. Hollis. CWO 2, USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: D D Mason, Ltjg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY

NAVY-DPPO-12ND-MI

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10-W DATE THURSDAY (Day) 26 (Date) SEPTEMBER (Month), 19 63

AT/~~PASSAGE~~ FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	090	6	10	SCT	2990	84	82	5	800	CU			
02	080	6	10	SCT	2991	84	82	5	800	SC			
03	070	6	10	SCT	2992	83	81	5	800	ST			
04	060	7	10	SCT	2995	83	81	4	800	AC			
05	065	4	10	SCT	2995	84	82	4	800	AC/ST			
06	060	3	10	SCT	2996	84	82	5	800	AC/ST			
07	050	2	10	BKN	2996	85	83	6	800	AC/SC			
08	045	4	7	BKN	2997	85	84	6	1500	AC/CB			
09	050	2	7	BKN	2996	86	83	6	1000	CB			
10	050	2	7	BKN	2996	87	84	6	1000	ST			
11	060	2	10	SCT	2994	88	85	5	1000	ST			
12	060	2	10	SCT	2994	90	86	5	1400	SC			
13	070	5	10	SCT	2992	90	86	4	1400	SC			
14	070	5	10	SCT	2991	91	87	3	1400	CU			
15	075	7	10	BKN	2991	90	86	6	1400	CU			
16	080	10	10	BKN	2990	91	89	7	1200	CU			
17	080	10	10	BKN	2990	90	87	8	1000	AC/CU			
18	080	7	10	BKN	2989	89	86	8	1000	AC/CU			
19	080	7	10	SCT	2989	87	84	5	1000	AC/CU			
20	090	8	10	SCT	2988	85	82	4	1000	AC/CU			
21	090	7	10	SCT	2987	83	80	4	1000	AC/CU			
22	100	8	10	SCT	2986	83	80	4	1000	AC/CU			
23	100	7	10	SCT	2986	82	79	4	1000	AC/CU			
24	100	7	10	SCT	2986	81	78	4	1000	AC/CU			

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: Ø

FUEL CONSUMED 0000-2400: Ø

REMARKS

00-04 Moored starboard side to Berth Sierra 18 (S-18) ~~using~~ per standard mooring lines doubled at US Naval Submarine Base, Pearl Harbor, Hawaii, Receiving Electrical power, Fresh water & telephone services from the pier ~~condition~~ JOH material condition yoke (modified) set. Ships present include various units of the U.S. Pacific Fleet, District and Small Craft. S.O.P.A. is CinC Pac Flt.

Jul. Hollis. CWO 2. USN

04-08 Moored as before: 0745 mustered the crew at Quarters. absentees: none.

Jul. Hollis. CWO-2, USN

APPROVED: CC Reed Lt. U.S.N. COMMANDING

EXAMINED: R S Nason, Stgr U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF 96 THURSDAY (Day) 26 (Date) SEPTEMBER (Month) 19 63

Ø8-12 MOORED AS BEFORE. Ø84Ø MADE DAILY INSPECTION OF MAGAZIAES AND SMOKELESS POWDER SAMPLES. CONDITIONS: NORMAL. CONDUCTED WEEKLY TEST OF MAGAZINE SPRINKLING SYSTEM. TEST: SATISFACTORY.

C. P. McKenzie, ENS, USNR

12-16 MOORED AS BEFORE.

C. P. McKenzie, ENS, USNR

16-2Ø MOORED AS BEFORE 18Ø Ø SET CONDITIONS YORE. MODIFIED.

C. P. McKenzie, ENS, USNR

2Ø-24 MOORED AS BEFORE.

C. P. McKenzie, ENS, USNR

APPROVED:

C C Reed Lt U.S.N. COMMANDING

EXAMINED:

R D Mason, Ltjg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY

NAVY-DPPO-12ND-MI

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ARNAKI ATF-96 ZONE DESCRIPTION +10W DATE FRIDAY (Day) 27 (Date) SEPTEMBER (Month), 19 63

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	100	7	10	SCT	2986	81	78	4	1000	AC/CU			
02	095	6	10	SCT	2987	81	78	4	1000	CU			
03	080	6	10	SCT	2988	80	77	4	1000	CU			
04	070	5	10	SCT	2988	79	76	4	1000	CU			
05	060	5	10	SCT	2990	79	76	3	1000	CU			
06	065	6	10	SCT	2991	80	77	3	1000	CU			
07	055	7	10	SCT	2992	81	78	4	1000	CU			
08	050	6	10	SCT	2992	83	80	3	1000	CU			
09	050	6	10	SCT	2992	86	83	3	1000	CU			
10	050	6	10	SCT	2993	87	85	3	1000	CU			
11	050	2	10	SCT	2993	87	84	3	1000	CU			
12	050	2	10	SCT	2994	87	84	3	1000	CU			
13	050	2	10	SCT	2994	87	84	5	1000	CU			
14	050	2	10	SCT	2994	87	84	3	1000	CU			
15	050	2	10	SCT	2994	87	84	3	1000	CU			
16	050	2	10	SCT	2994	85	82	3	1000	CU			
17	050	2	10	SCT	2993	84	81	3	1000	CU			
18	050	2	10	SCT	2993	83	80	3	1000	CU			
19	040	2	10	SCT	2994	83	80	5	1000	CU			
20	030	2	10	SCT	2995	83	80	3	1000	CU			
21	020	2	10	SCT	2996	83	80	3	1000	CU			
22	010	2	10	SCT	2998	82	79	3	1000	CU			
23	350	2	10	SCT	2998	81	78	3	1000	CU			
24	340	2	10	SCT	2998	80	77	3	1000	CU			

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: Ø

FUEL CONSUMED 0000-2400: Ø

REMARKS

ØØ-Ø4 MOORED STARBOAD SIDE TO IN BERTH SIERRA 18 AT US NAVAL SUBMARINE BASE PEARL HARBOR, HAWAII USING STANDARD MOORING LINES DOUBLED. RECEIVING ELECTRICAL POWER, FRESH WATER, & TELEPHONE SERVICES FROM THE PIER. MATERIAL CONDITION YOKE MODIFIED SET. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US PACIFIC FLEET, DISTRICT AND YARD CRAFT. SOPA IS CINCPACFLT

C.P. McKenzie, ENS, USNR

Ø4-Ø8 MOORED AS BEFORE. Ø745 MUSTERED CREW AT QUARTERS. ABSENTEES: NONE.

C. P. McKenzie, ENS, USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: D D Nasa, Lt(jg) U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki (ATF-96) FRIDAY (Day) 27 (Date) SEP (Month), 1963

08-12. MOORED AS before. 0846 MADE daily INSPECTION OF MAGAZINES AND SMOKELESS powder SAMples. CONDITIONS NORMAL.

R S Mason, Slyg.

12-16 MOORED AS before. 1319 USS SERRANO (GS-24) CAME Along SIDE AND MOORED out board TO PORT.

R S Mason
Slyg, USNR

16-20 MOORED AS before. 1800 SET MATERIAL condition TOKE (Modified).

R S Mason
Slyg, USNR

20-24. MOORED AS before

R S Mason
Slyg, USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R S Mason, Slyg. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY
NAVY-DPPO-12ND-MI

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abnaki (ATF-96) ZONE DESCRIPTION +10 W DATE ~~28~~ SATURDAY 28 SEP (Day) (Date) (Month), 19 63

AT/PASSAGE FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	330	2	10	SCT	2998	80	77	3	1000	CU			
02	325	2	10	SCT	2997	79	77	3	800	CU			
03	320	2	10	SCT	2996	78	76	3	800	CU			
04	310	2	10	SCT	2995	77	75	3	800	CU			
05	310	2	10	SCT	2995	77	75	3	800	CU			
06	310	2	10	SCT	2995	77	74	3	1000	CU			
07	310	2	10	SCT	2995	77	74	2	1000	CU			
08	310	1	10	SCT	2995	79	74	2	1750	CU			
09	310	1	10	SCT	2997	84	79	3	1750	CU			
10	310	1	10	SCT	2997	84	79	4	1750	CU			
11	310	1	10	SCT	2997	87	83	5	1400	CU			
12	300	2	10	BKN	2998	90	85	6	1750	CU			
13	300	2	10	SCT	2998	90	85	5	1750	CU			
14	310	2	10	SCT	2998	91	86	5	1750	CU			
15	310	2	10	SCT	2999	91	86	5	1750	CU			
16	320	2	10	SCT	3000	90	86	5	1400	CU			
17	320	2	10	SCT	3000	89	85	4	1400	CU			
18	330	1	10	SCT	3000	88	84	5	1400	CU			
19	330	1	10	SCT	2999	87	83	5	1400	CU			
20	340	1	10	BKN	2999	85	82	6	1400	CU			
21	340	3	10	BKN	2998	84	81	7	1400	CU			
22	340	3	10	BKN	2999	83	80	7	1000	CU			
23	350	3	10	BKN	2998	81	78	7	1000	CU			
24	350	3	10	BKN	2999	80	77	8	1000	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: Ø

FUEL CONSUMED 0000–2400: Ø

REMARKS

00-04. MOORED STARBOARD side TO berth SIERRA 18, U.S. NAVAL SUBMARINE BASE, Pearl Harbor, Hawaii WITH STANDARD MOORING LINES doubled. ~~Forc~~ USS SERRANO (GS-24) MOORED outboard TO PORT. Receiving ELECTRICAL, FRESH WATER, AND Telephone SERVICES FROM The PIER. MATERIAL CONDITION YOKE (Modified) is SET, Ships PRESENT VARIOUS UNITS of The U.S. PACIFIC FLEET, YARD, AND DISTRICT CRAFT. SOPA is CINCPACFLT.

R S Mason Slyg, USNR

04-08. MOORED AS before. 0745 MUSTERED THE CREW ON STATIONS ABSENTEES: NONE.

R S Mason, SLyg USNR

APPROVED: C A Reed Lt. U.S.N. COMMANDING

EXAMINED: R S Mason, Slyg U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SATURDAY (Day) 28 (Date) September (Month), 19 63

08-12 Moored as before; 0838 made daily inspection of magazines and smokeless powder samples, conditions: normal.

J.L. Hollis, CWO2, USN

12-16 Moored as before.

J.L. Hollis, CWO2, USN

16-20 Moored as before. 1800 Set ~~Mo~~ material condition Jee A yoke (modified)

J.L. Hollis, CWO2, USN

20-24 Moored as before:

Jal Hollis, CWO2, USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R S Mason, Lt(jg) U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY
NAVY-DPPO-12ND-MI

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF 96 ZONE DESCRIPTION +10 W DATE SUNDAY (Day) 29 (Date) SEPT. (Month), 19 63

AT/~~PASSAGE FROM~~ PEARL HARBOR HAWAII ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	350	3	10	BKN	2999	80	77	8	1000	CU			
02	000	3	10	BKN	2998	80	77	8	1000	CU			
03	005	3	10	BKN	2997	79	77	7	800	CU			
04	010	2	10	BKN	2996	79	77	7	800	CU			
05	010	2	10	BKN	2996	79	77	7	800	CU			
06	010	2	10	BKN	2996	79	77	7	800	CU			
07	000	2	10	BKN	2997	82	78	6	1400	CU			
08	355	2	10	SCT	2998	85	80	5	1750	CU			
09	355	2	10	SCT	2998	85	80	5	1750	CU			
10	000	2	10	SCT	2998	86	81	5	1750	SC			
11	010	2	10	SCT	2998	86	81	5	1750	SC			
12	030	2	10	SCT	2998	87	82	5	1750	SC			
13	040	3	10	BKN	2997	88	83	6	1750	SC			
14	050	3	10	BKN	2997	88	83	6	1750	ST			
15	060	3	10	BKN	2997	86	81	7	1750	ST			
16	070	3	10	BKN	2997	85	81	7	1400	ST			
17	070	3	10	BKN	2997	85	81	8	1400	ST			
18	040	3	10	BKN	2998	82	81	8	1000	ST			
19	045	3	10	BKN	2999	82	79	8	1000	SC			
20	045	2	10	BKN	3000	81	77	6	1400	CU			
21	050	2	10	SCT	3001	80	75	5	1750	CU			
22	050	3	10	SCT	3001	80	75	5	1750	CU			
23	060	2	10	SCT	3001	79	74	5	1750	CU			
24	060	4	10	SCT	3001	79	74	5	1750	CU			

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: Ø

FUEL CONSUMED 0000-2400: Ø

REMARKS

00-04 Moored Starboard side to Berth Sierra 18 forward at US Naval Submarine Base, Pearl Harbor, Hawaii using standard lines doubled. Receiving Electrical power potable water & telephone services from the pier. Material condition Yoke (modified) set. Ships present include various units of the U.S. Pacific Fleet, District and Small Craft. S.O.P.A. is CinCPacFlt.

J.L. Hollis CWO2, USN

04-08 Moored as before. 0745 mustered the crew on stations: absentees: None.

J.L. Hollis, CWO2, USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: N S Nason, Sltg U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF 96 SUNDAY (Day) 29 (Date) SEPTEMBER (Month) 19 63

0800-1200 MOORED AS BEFORE. 0815 ~~RECEIVED MUSTER REPORTS.~~ ~~ABSENTEES: NONE.~~ 0820 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS: NORMAL

C. P. McKenzie, Ens, USNR

1200-1600 MOORED AS BEFORE.

C. P. McKenzie, Ens, USNR

1600-2000 MOORED AS BEFORE. 1800 SET CONDITION YOKE MODIFIED.

C. P. McKenzie, Ens, USNR

2000-2400 MOORED AS BEFORE.

C. P. McKenzie, Ens, USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R S Mason, Jr Lt(jg) U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY
NAVY-DPPO-12ND-M1

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF 96 ZONE DESCRIPTION +10W DATE MONDAY (Day) 30 (Date) SEPT (Month), 19 63

AT/~~PASSAGE~~ FROM PEARL HARBOR TO HAWAII

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	060	5	10	SCT	3001	79	74	5	1750	CU			
02	065	6	10	SCT	3001	79	74	5	1750	CU			
03	070	5	10	SCT	3001	78	73	5	1750	CU			
04	075	5	10	BKN	3001	78	73	6	1750	CU			
05	080	5	10	BKN	3002	79	74	6	1750	CU			
06	085	6	10	BKN	3002	80	75	6	1750	SC			
07	085	6	10	BKN	3002	82	77	7	1750	SC			
08	090	7	10	BKN	3002	83	79	7	1400	SC			
09	090	7	10	BKN	3002	83	79	7	1400	SC			
10	090	8	10	BKN	3003	85	80	8	1750	ST			
11	040	7	10	BKN	3001	87	82	8	1750	ST			
12	010	7	10	BKN	2998	89	84	8	1750	ST			
13	010	7	10	BKN	2997	90	85	8	1750	ST			
14	020	7	10	BKN	2997	90	85	8	1750	ST			
15	020	7	10	BKN	2997	90	85	8	1750	ST			
16	020	6	10	BKN	2996	89	84	8	1750	ST			
17	040	6	10	BKN	2996	88	83	8	1750	SC			
18	045	6	10	BKN	2996	87	82	8	1750	SC			
19	040	5	10	BKN	2997	87	82	8	1750	SC			
20	060	4	10	BKN	2998	84	79	8	1750	SC			
21	055	5	10	BKN	2997	82	77	8	1750	SC			
22	065	7	10	BKN	2996	81	76	8	1750	SC			
23	070	5	10	BKN	2995	80	75	8	1750	SC			
24	070	5	10	BKN	2995	80	75	8	1750	SC			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: Ø

FUEL CONSUMED 0000-2400: Ø

REMARKS

ØØ-Ø4 MOORED STARBOARD SIDE TO IN BERTH SIERRA 18 AT US NAVAL SUBMARINE BASE PEARL HARBOR, HAWAII USING STANDARD MOORING LINES DOUBLED. RECEIVING ELECTRICAL POWER, FRESH WATER, AND TELEPHONE SERVICES FROM THE PIER. MATERIAL CONDITION YOKE MODIFIED SET. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, DISTRICT ANDYARD CRAFT. SOPA IS CINCPACFLT.

C. P. McKenzie, Ens, USNR

Ø4-Ø8 MOORED AS BEFORE. Ø745 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

C. P. McKenzie, Ens, USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: D D Mason, Stgg U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki (ATF-96) Monday (Day) 30 (Date) SEP (Month), 19 63

08-12. Moored as before. 0826 Made daily inspection of magazines and smokeless powder samples. Conditions ~~non~~ normal.

R S Mason, Slgy, USNR

12-16 Moored as before.

R S Mason, Slgy, USNR

16-20 Moored as before. 1800 Set material condition Yoke (Modified).

R S Mason, Slgy, USNR

20-24 Moored as before

R S Mason, Slgy. USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R S Mason, Slgy U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY
NAVY-DPPO-12ND-MI

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS _____ ZONE DESCRIPTION _____ DATE _____ , 19 _____
(Day) (Date) (Month)

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY	WEATH-ER	BAROM-ETER	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	SPEED (Knots)	(Miles)	(Sym-bols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA
FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____
POSITION BETWEEN FIXES
MID. L _____
MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

APPROVED:

_____ U.S.N. COMMANDING

EXAMINED:

_____ U.S.N. NAVIGATOR